# Fall 1997 North American Migration Count in South Carolina

Robin M.Carter 4165 E. Buchanan Drive Columbia, SC 29206

## **Compiler's Comments**

The 1997 Fall North American Migration Count in South Carolina was held on the third Saturday in September (20 September 1997). Some 127 observers in 52 parties found a grand total of 211 species and about 25,689 individual birds in South Carolina. Of these some 43 species were "exclusives," that is, found in only one county. The distribution of exclusives was as follows: 17 exclusives -- Charleston County, 6 exclusives -- Greenville County, 5 exclusives -- Georgetown County, Oconee County, 2 exclusives -- Jasper County, Spartanburg County, and 1 exclusive -- Aiken County, Fairfield County, Horry County, Richland County, Williamsburg County.

Year	No. of counties	No. of species	No. of indivi- duals	party- hours	No. of birders	No. of parties
1995	9	163	15,384	102.5	50	17
1996	15	202	27,253	263.25	82	36
1997	18	211	25,689	450.2	127	52

## Summary of the Fall NAMC in South Carolina

Counts were held in 18 of the 46 counties of the state (by geographic region, with county seat):

Coastal and Outer Coastal Plain:

Horry	(Conway)
Georgetown	(Georgetown)

Charleston	(Charleston)
Jasper	(Ridgeland)

Inner Coastal Plain:

Barnwell	(Barnwell)
Hampton	(Hampton)
Williamsburg	(Kingstree)

Piedmont and Inner Coastal Plain (i.e. Fall Line area):

Aiken	(Aiken)
Lexington	(Lexington)
Richland	(Columbia)

Piedmont:

Spartanburg	(Spartanburg)
Cherokee	(Gaffney)
Chester	(Chester)
Fairfield	(Winnsboro)
Newberry	(Newberry)
Edgefield	(Edgefield)

Mountains and Piedmont:

Greenville	(Greenville)
Oconee	(Walhalla)

AIKN - Aiken County, SC. (Piedmont and Inner Coastal Plain) Total: 89 species; 2672 individuals.

6:30 AM to 9:00 PM. Temp. 66° to 99° F. Wind calm. AM clear; PM clear. Regular observers: 14 in field in 5 parties. Total regular party-hours: 34.5; total regular party-miles: 315.5; 14.25 hours and 8 miles on foot; 13.75 hours and 304 miles by car; 6.5 hours and 3.5 miles by boat. Feeders: 4 observers, 3 feeding stations, 5.5 hours watching feeders. Owling observers: 2 in 1 party. Owling party-hours: 0.75; owling party-miles: 19. Totals: 40.75 party-hours; 334.5 party-miles; 14 participants.

Coordinator: Anne Waters, 1621 Apple Valley Drive, Augusta, GA 30906.

Participants: Olen Blackmon, Adrienne DeBiase, Chuck Braun, Carol Eldridge, Larry Eldridge, Eulalie Gibbs, Sandra Johnson, Paul Koehler, Richard

## The Chat, Vol. 63, No. 1, Winter 1999

Lux, Mike Turner, Anne Waters, Vernon Waters, Caroline White, Calvin Zippler.

Comments: Aiken counters turned in a solid count, but with few rarities. A bit unusual were 2 early Hermit Thrushes.

## BNWL - Barnwell County, SC. (Inner Coastal Plain)

Total: 51 species; 315 individuals.

7:30 AM to 1:30 PM. Temp. 78° to 98° F. Wind calm. AM clear; PM clear. Regular observers: 2 in field in 1 party. Total regular party-hours: 6; total regular party-miles: 88; 3 hours and 2 miles on foot; 3 hours and 86 miles by car. Totals: 6 party-hours; 88 party-miles; 2 participants.

Coordinator: Teddy Shuler, 433 Sheraton Drive, Beech Island, SC 29841-5514.

Participants: Ned Shuler, Teddy Shuler.

Comments: No unusual species were reported from Barnwell County.

#### CHSTN - Charleston County, SC. (Coastal and Outer Coastal Plain)

Total: 142 species; 6879 individuals.

5:00 AM to 8:00 PM. Temp. 66° to 90° F. Wind SW, 0 to 10 mph. AM partly cloudy; PM clear.

Regular observers: 15 in field in 6 parties. Total regular party-hours: 52.5; total regular party-miles: 319; 27 hours and 22 miles on foot; 23 hours and 294 miles by car; 2.5 hours and 3 miles by bike. Feeders: 7 observers, 11 feeding stations, 10 hours watching feeders. Owling observers: 1 in 1 party; owling party-hours: 2; owling party-miles: 1. Totals: 64.5 party-hours; 320 party-miles; 15 participants.

Coordinator: Perry Nugent, 2260 Dallerton Circle, Charleston, SC 29414.

Participants: Van Atkins, Sharon Brown, George Crumley, Janice Fanning, Dennis Forsythe, Donna Forsythe, Nancy Fuller, Fernanda Hastie, Ann Kent, Perry Nugent, Ben Smith, Liz Smylie, Joe Stevenot, Martha Stevenot, Charles Walters.

Comments: As usual, Perry Nugent and the Charleston County migration counters held a well-organized and productive count. They did especially well on migrant thrushes this fall, reporting 16 Veeries, 7 Gray-cheeked Thrushes, 1 Bicknell's Thrush, 3 Swainson's Thrushes, but no American Robins. Some 18 species of warblers were reported, an excellent count for a coastal county.

Fall	1997	Migration	Day	Count	in	SC
------	------	-----------	-----	-------	----	----

## CHKE - Cherokee County, SC. (Piedmont)

Total: 48 species; 525 individuals.

Temp. 63° to 93° F. Wind W to NE, 0 to 11 mph. AM clear; PM clear. Regular observers: 4 in field in 1 party. Total regular party-hours: 5; total regular party-miles: 27; 2 hours and 3 miles on foot; 3 hours and 25 miles by

car. Totals: 5 party-hours; 27 party-miles; 4 participants.

Coordinator: Lyle Campbell, 126 Greengate Lane, Spartanburg, SC 29307. Participants: Claude Cobb, J.B. Hines, Myra Hines, Ed Wilde.

Comments: No unusual species were reported from Cherokee County.

#### CHSTR - Chester County, SC. (Piedmont)

Total: 61 species; 592 individuals.

5:00 AM to 7:15 PM. Temp. 69° to 94° F. Wind SW, 5 mph. AM partly cloudy; PM partly cloudy.

Regular observers: 2 in field in 2 parties. Total regular party-hours: 21.75; total regular party-miles: 69; 17.5 hours and 6.5 miles on foot; 1.75 hours and 55.5 miles by car; 2.75 hours and 7 miles by boat. Owling observers: 1 in 1 party; owling party-hours: 2.5; owling party-miles: 7. Totals: 24.25 party-hours; 76 party-miles; 2 participants.

Coordinator: Albert Conway, 1672 Deer Run Road, Catawba, SC 29704. Participants: Albert Conway, Gail B. Ice.

Comments: No unusual species were reported from Chester County. The Barn Owls were Albert Conway's regular stakeout.

## EGFD - Edgefield County, SC. (Piedmont)

Total: 28 species; 82 individuals.

11:20 AM to 5:55 PM.

Regular observers: 1 in field in 1 party. Total regular party-hours: 6.5; total regular party-miles: 63; 6.5 hours and 63 miles by car. Totals: 6.5 party-hours; 63 party-miles; 1 participant.

Coordinator and sole particiapnt: Mike Turner, 1131 Shirley St., Columbia, SC 29205.

Comments: No unusual species were reported from Edgefield County.

## FFLD - Fairfield County, SC. (Piedmont)

Total: 68 species; 510 individuals.

5:30 AM to 9:30 PM. Temp. 66° to 96° F. Wind W, 0 to 3 mph. AM clear; PM partly cloudy.

Regular observers: 3 in field in 1 party. Total regular party-hours: 13; total regular party-miles: 84.5; 10 hours and 4 miles on foot; 2.5 hours and 80 miles by car; 0.5 hours and 0.5 miles by boat. Owling observers: 2 in 1 party; owling

party-hours: 3; owling party-miles: 0. Totals: 16 party-hours; 84.5 party-miles; 3 participants.

Coordinator: Donna Bailey, Rt. 3, Box 64 FH, Winnsboro, SC 29180. Participants: Buddy Bailey, Donna Bailey, Lisa Sisk.

Comments: Donna Bailey reported 3 Willow Flycatchers (carefully identified), part of a nice movement of this species through South Carolina this fall.

GTWN - Georgetown County, SC. (Coastal and Outer Coastal Plain)

Total: 80 species; 1733 individuals.

10:30 AM to 6:30 PM. Temp. 83° to 87° F. Wind SE, 5 mph. AM partly cloudy; PM partly cloudy.

Regular observers: 3 in field in 1 party. Total regular party-hours: 10; total regular party-miles: 79; 8 hours and 7 miles on foot; 2 hours and 72 miles by car. Totals: 10 party-hours; 79 party-miles; 3 participants.

Coordinator: Jack Peachey, 103 Walnut Circle, Conway, SC 29526.

Participants: David Donmoyer, Jack Peachey, Tonya Spires.

Comments: Counters in Georgetown County turned up a couple of somewhat late kites -- a Swallow-tailed Kite and a Mississippi Kite, nice finds on an otherwise rather ordinary count day.

**GRVL - Greenville County, SC.** (Mountains and Piedmont)

Total: 101 species; 3461 individuals.

Temp. 68° to 93° F. Wind NW, 5 mph. AM partly cloudy; PM partly cloudy.

Regular observers: 15 in field in 9 parties. Total regular party-hours: 57.5; total regular party-miles: 308; 40 hours and 23 miles on foot; 17.5 hours and 285 miles by car. Feeders: 2 observers, 2 feeding stations, 6 hours watching feeders. Stationary (Caesar's Head Hawk Watch): 2 observers, 1 station, 8 stationary hours. Owling observers: 1 in 1 party; owling party-hours: 1; owling party-miles: 2. Totals: 72.5 party-hours; 310 party-miles; 15 participants.

Coordinator: Peter Worthington, 716 North Almond Drive, Simpsonville, SC 29681-3452.

Participants: Alan Amason, Karen Amason, Phil Blue, Sandy Blue, Randy Cecil, Don Cox, Dana Harris, Stephen Harris, Sue Lessner, Eric McFalls, Bill Murell, Irv Pitts, Kyle Rollins, Linda Sharp, Peter Worthington.

Comments: A well-organized count in Greenville County turned in an impressive 101 species, including 20 species of warblers. Another nice touch were 4 Common Ravens, a species to be expected in the mountains near Caesar's Head, but always a good find in South Carolina.

## HPTN - Hampton County, SC. (Inner Coastal Plain)

Total: 42 species; 433 individuals.

7:00 AM to 4:50 PM. Temp. 69° to 93° F. Wind calm. AM partly cloudy; PM partly cloudy.

Regular observers: 2 in field in 1 party. Total regular party-hours: 10; total regular party-miles: 127.75; 4.2 hours and 2.75 miles on foot; 5.8 hours and 125 miles by car. Totals: 10 party-hours; 127.75 party-miles; 2 participants.

Coordinator: Carroll Richard, P.O. Box 893, Hampton, SC 29924.

Participants: Karen Breland, Carroll Richard.

Comments: Carroll Richard reported 2 Purple Gallinules from Hampton County, a species to be expected at the Webb Wildlife Center, but always a treat to find anywhere in South Carolina, since this species in apparently in decline. It is getting tough to find even at its stronghold at Savannah National Wildlife Refuge in Jasper County.

## HRRY - Horry County, SC. (Coastal and Outer Coastal Plain)

Total: 69 species, 714 individuals.

7:30 AM to 8:15 PM. Temp. 77° to 89° F. Wind SE, 5 mph. AM partly cloudy; PM partly cloudy.

Regular observers: 5 in field in 3 parties. Total regular party-hours: 14.5; total regular party-miles: 145.5; 5.75 hours and 3.5 miles on foot; 8.75 hours and 142 miles by car. Totals: 14.5 party-hours; 145.5 party-miles; 5 participants.

Coordinator: Tonya Spires, P.O. Box 2167, Conway, SC 29526.

Participants: David Donmoyer, Jack Peachey, Tonya Spires, Phil Turner, Sharon Turner.

Comments: Counters in Horry County reported 7 American Golden-Plovers, always a nice find, even at the Bucksport sod farms, as well as a nice total of some 13 Ruby-throated Hummingbirds, quite a few for only 14.5 partyhours of effort.

JSPR - Jasper County, SC. (Coastal and Outer Coastal Plain)

Total: 85 species; 1673 individuals.

7:10 AM to 7:30 PM. Temp. 72° to 95° F. Wind S, 0 to 5 mph. AM partly cloudy; PM partly cloudy.

Regular observers: 6 in field in 3 parties. Total regular party-hours: 18; total regular party-miles 142; 9 hours and 5 miles on foot; 7 hours and 123 miles by car; 2 hours and 14 miles by boat. Feeders: 1 observer, 1 feeding station, 5 hours watching feeders. Totals: 23 party-hours; 142 party-miles; 6 participants.

Coordinator: Patricia E. Metz, U.S Fish & Wildlife Service, Parkway Business Center, Suite 10, 1000 Business Center Drive, Savannah, GA 31405.

Participants: Vic Carpenter, Nancy Drake, Barry Lowes, John Metz, Patricia Metz, Ray Porter.

Comments: In Jasper County counters found 6 Hermit Thrushes, apparently part of an early push of this species into South Carolina in 1997.

## LXTN - Lexington County, SC. (Piedmont and Inner Coastal Plain)

Total: 38 species; 254 individuals.

7:10 AM to 7:00 PM. Temp. 65° to 95° F. Wind W, 0 to 5 mph. AM partly cloudy; PM partly cloudy.

Regular observers: 1 in field in 1 party. Total regular party-hours: 5.7; total regular party-miles: 69; 1.2 hours and 2 miles on foot; 4.5 hours and 67 miles by car. Feeders: 1 observer, 1 feeding station, 2 hours watching feeders. Totals: 7.7 party-hours; 69 party-miles; 1 participant.

Coordinator and sole participant: Molly Bonnell, 202 Cannon Trail Road, Lexington, SC 29073.

Comments: No unusual species were reported from Lexington County.

## **NWBY - Newberry County, SC.** (Piedmont)

Total: 60 species; 391 individuals.

7:50 AM to 3:00 PM. Temp. 70° to 90° F. Wind calm. AM partly cloudy; PM partly cloudy.

Regular observers: 3 in field in 1 party. Total regular party-hours: 7; total regular party-miles: 67; 3 hours and 5 miles on foot; 4 hours and 62 miles by car. Totals: 7 party-hours; 67 party-miles; 3 participants.

Coordinator: Tim Kalbach, 3113 River Drive, Columbia, SC 29201. Participants: Tim Kalbach, Nancy Lyman, Gary Sowell.

Comments: No unusual species were reported from Newberry County.

## **OCNE - Oconee County, SC.** (Mountains and Piedmont)

Total: 65 species; 421 individuals.

6:00 AM to 3:45 PM. Temp. 66° to 94° F. Wind E to N, 5 mph. AM partly cloudy; PM partly cloudy.

Regular observers: 6 in field in 1 party. Total regular party-hours: 8.75; total regular party-miles: 105; 4.75 hours and 2 miles on foot; 4 hours and 103 miles by car. Owling observers: 1 in 1 party; owling party-hours 0.75; owling party-miles: 11. Totals: 9.5 party-hours; 116 party-miles; 6 participants.

Coordinator: Steve Wagner, 316 East Creswell, Greenwood, SC 29646.

Participants: Carroll Belser, Sidney Gauthreaux, Steve Lohr, David Mizrahi, Steve Wagner, Stacey West.

Comments: Birders in Oconee County turned in a very nice single-party count, reporting 19 warbler species and a high total of 21 Eastern Wood-Pewees. The cool white pine - eastern hemlock forests near the Chatooga River in the northwestern part of the county probably is the home to breeding species more typically found at much higher elevations in the North Carolina mountains. This probably explains the 3 Red-breasted Nuthatches and 1 Golden-crowned Kinglet reported.

## RCHL - Richland County, SC. (Piedmont and Inner Coastal Plain)

Total: 85 species; 1768 individuals.

4:45 AM to 8:30 PM. Temp. 66° to 90° F. Wind W, 0 to 5 mph. AM partly cloudy; PM partly cloudy.

Regular observers: 4 in field in 3 parties. Total regular party-hours: 21.25; total regular party-miles: 150; 10.25 hours and 10 miles on foot; 11 hours and 140 miles by car. Feeders: 2 observers, 1 feeding station, 0.5 hours watching feeders. Owling observers: 2 in 2 parties; owling party-hours 2.75; owling party-miles: 30. Totals: 24.5 party-hours; 180 party-miles; 6 participants.

Coordinator: Robin Carter, 4165 East Buchanan Drive, Columbia, SC 29206.

Participants: Robin Carter, Steve Dennis, Caroline Eastman, Tammy Sutherland, Carol Winberry, John Winberry.

Comments: In Richland County birders found 1 Willow Flycatcher (part of a good movement of this species through the state). Congaree Swamp National Monument was the locale for most of Richland's good species, including good numbers of thrushes (17 Veeries, 20 Swainson's Thrushes, 4 Hermit Thrushes, 18 Wood Thrushes), as well as a couple of rare warblers (a Nashville and a Mourning). Both of these warblers, found within a few yards of each other along the service road to the old clubhouse, represent first records for the park.

## SPTB - Spartanburg County, SC. (Piedmont)

Total: 89 species; 2966 individuals.

Temp. 63° to 93° F. Wind W to NE, 0 to 11 mph. AM clear; PM clear. Regular observers: 36 in field in 10 parties. Total regular party-hours: 53; total regular party-miles: 206; 35.5 hours and 34 miles on foot; 12.5 hours and 156 miles by car; 5 hours and 16 miles by boat. Feeders: 21 observers, 15 feeding stations, 37 hours watching feeders. Owling observers: 3 in 2 parties; owling party-hours: 6; owling party-miles 1. Totals: 96 party-hours; 207 partymiles; 36 participants.

Coordinator: Lyle Campbell, 126 Greengate Lane, Spartanburg, SC 29307.

Participants: Frankie Altman, John Berry, Susan Berry, Beth Bartel, Michael Bennett, Susan Bennett, Lyle Campbell, Sarah Campbell, Pat Cart, Dan Codespoti, Stan Easley, John Erickson, Roy Fowler, Pat Fowler, John Freeman, Shena Freeman, Onoosh Gahaghan, Ron Gahaghan, Teresa Glenn, Gladys Henry, Flip Jones, Joel Jones, Mickey Marotte, Ed Medlin, Gail Medlin, Mary Ann Meyers, Bill Moody, Marian Murph, Robert Powell, Jenny Scott, Walton Scott, Mac Shealy, Tina Taylor, Dick Thorpe, Lois Thorpe, Gerald Thurmond.

Comments: As usual Lyle Campbell organized a great migration count in Spartanburg County and was rewarded with several good finds: 2 Bald Eagles, a Barn Owl, a Willow Flycatcher, an Orange-crowned Warbler (all rare), and a late Swainson's Warbler.

## WMBG - Williamsburg County, SC. (Outer Coastal Plain).

Total: 59 species; 300 individuals.

6:35 AM to 9:15 PM. Temp. 71° to 92° F. Wind NW, 5 mph.

Regular observers: 3 in 2 parties. Total regular party-hours: 9; total regular party-miles: 79; 6 hours and 5 miles on foot; 3 hours and 74 miles by car. Owling observers: 1 in 1 party; owling party-hours 1; owling party-miles 0. Totals: 10 party-hours; 74 party-miles; 3 participants.

Coordinator: John Snow, Route 1, Box 192, Hemingway, SC 29554.

Participants: Joyce Braxton, John Snow, Paula Sutton.

Comments: In Williamsburg County a Least Tern (presumably found at the Hemingway sewage lagoons) was a good find for this inland count.

## Summary of Fall 1997 NAMC in South Carolina

State-wide Total: 211 species, 25,689 individuals.

Observers: 127 in 52 parties; Party-hours: 201.15 hours on foot, 133.55 hours by car, 16.75 hours by boat, 2.5 hours by bicycle. Party-miles: 143.75 miles on foot, 2256.5 miles by car, 41 miles by boat, 3 miles by bicycle. Feeder watch: 66 hours by 38 watchers at 34 feeding stations. Owling: 10.5 hours and 71 miles by 14 observers in 11 parties.

Totals: 96 party-hours; 207 party-miles; 36 participants.

Species Pied-billed Grebe		2	CHSTN (		2			21	1	6		12				1	2	3	55
		2	589		2			37	•	•									626
Brown Pelican		4	95	2	31	11		4			36	1		3		2	1	3	190
Dblcr. Cormorant	3	12	95 16	2	57		2	-											33
Anhinga	3	12	10				-												1
Least Bittern		3	12	1	12	2	4	3	9	5		2		8		4	25	2	98
Great Blue Heron	6 5	2	306	•	10	2	20	8	ž	21	6	13		11	3	7	3	1	420
Great Egret	5	2	169		10	-	20	5	-		2	7						5	188
Snowy Egret	4		60					5	5	4	8	1					1		- 84
Little Blue Heron	4	1	28					6	Ū	-	Ũ	6							40
Tricolored Heron	~	~	20 34					v			1	Ă							139
Cattle Egret	94 2	6 ∡	34 12					4	6		i	-		2			6	2	36
Green Heron	2	4	12					'	Ű		•			-			-		15
Black-cr. Nt-Heron								1											2
Yellow-cr. Nt-Heron			1					•				43							63
White Ibis			16								1	7							ç
Glossy Ibis		_	1					7			•	8							62
Wood Stork		2	45		~ ~	40	•	1	162			0	٨	18	25	118	190	6	628
Canada Goose	1			46	31	18	9 16		102	1		7	-	10	2	5	3	8	187
Wood Duck	78	13	42		11		10		I			'			-	•	Ŭ	•	
Green-winged Teal	1						1					10					18		28
American Black Duck												3					.0		
Mottled Duck				_					~~		8	2				36	45		16
Mallard	1		6	7				~	60 5		0	<b>6</b> 8						1	16
Blue-winged Teal	3		77					6	5			00						•	
Northern Shoveler									4										
Ring-necked Duck						-			1						12		2	2	19
Black Vulture	11	11	67	6	20	3	12	4	19	4	4	14 25	4	14	43	3	8	12	36
Turkey Vulture	9	16	67	9	14	1	45	4	26	56	5	25 2	4	14	43	1	1		4
Osprey			22		2	1	2	4	1		3	2					•		-
Swallow-tailed Kite								1											
Mississippi Kite								1									2		1
Bald Eagle	3		2		2			2		1		1		4			2		'
Northern Harrier			5								-	2			1				;
Sharp-shinned Hawk			2						4		2				~		~		
Cooper's Hawk	1								1		-				2	-	2 5	1	3
Red-sh. Hawk	7	1	5	1	1		2	1	3		3	3		2	1	3	5	•	79
Brdwinged Hawk						2			789			-		-	1				79
Red-tailed Hawk	1	2	11	2	3	1	2		7		1	2	1	3	3	4	11	1	Э

· •

 $(x_{i}, y_{i}) \in \{x_{i}, y_{i}\} \in \{x_{i}, y_{i}\} \in \{x_{i}, y_{i}\} \in \{x_{i}\}, x_{i} \in \{x_{$ 

buteo sp.	_		_									1					1		2
American Kestrel	7		8		1				2	2	4							2	20
Merlin		~~	1				-	_											
Wild Turkey		26	1		4		2	5	3			3					8	21	7:
Northern Bobwhite	6						1					3				2	9		2
Clapper Rail			32									2							34
King Rail			2									1							:
Purple Gallinule										2		3							
Common Moorhen		8	28					4		11		10							6
American Coot		5						4	1								1		1.
Black-bellied Plover			37					21											5
Am. Golden-Plover											7								
Semip. Plover			63					21				4							8
Piping Plover								1											
Killdeer	1		1	8	6	3	1	4	34		38	16	1	1	1	28	28	4	17
Am. Oystercatcher			103												•			-	10
Black-necked Stilt												9							10.
Greater Yellowlegs			4								4	77					2	8	9
Lesser Yellowlegs	1		9			1		1				36					2	3	5
Solitary Sandpiper	1	3	-					·								1	2	5	
Willet	-	•	24					4									4		2
Spotted Sandpiper	2		1		1			1	4									2	1
Whimbrel	-		9		•			•										2	
Marbled Godwit			1																
Ruddy Turnstone			16					3											
Sanderling			27					44											1
Semip. Sandpiper			43					44											7
Western Sandpiper			100					4											4
Least Sandpiper			100						2										100
peep sp.									2			1						1	
Pectoral Sandpiper	2											565				_			56
Dunlin	2		40													6			4
Short-billed Dowitcher			10 97																10
			87					28											125
dowitcher sp.												16							10
Common Snipe											1						3		4
Laughing Gull			346					6				7							359
Ring-billed Gull			203					4											207
Herring Gull			112								1								113

Species	AIKN	BNWL	CHSTN	I CHKE	CHSTR	EGF	) FFLD	GTW	N GRVI	. HPTN	HRR	/ JSPF	RLXTN	NWBY	OCNE	RCH	L SPTB	WMB	з тот
Gull-billed Tern			1									1							2
Caspian Tem			51					11				18							80
Royal Tem			34					24				10							68
Sandwich Tern			10					3											13
Common Tem			10					40											50
Forster's Tem			45									1							46
Least Tern																		1	1
Black Skimmer			105					2											107
Rock Dove	81		39				8		50	3	44				2	93	153		473
Mourning Dove	199	9	140	54	17	1	12	24	170	18	56	44	20	5	4	114	168	46	1101
Cmn. Ground-Dove								2						-	-				2
Black-billed Cuckoo																	2		2
Yellow-billed Cuckoo	10	3	3		1		1	1						1	1	2	-		23
Barn Owl					2									•		-	1		3
Eastern ScrOwl	3		9				3		4						1	7	•		27
Great Horned Owl			4		4										1	3	3		15
Barred Owl	1		9		7		3		2						-	8	-	1	31
Cmn. Nighthawk									-				1			ĩ		•	2
Chuck-will's-widow			1		1								•			•			2
Whip-poor-will					1		3									2	1		7
Chimney Swift	41	14	54	30	15	2	45	5	268	25	23		9	10	17	75	85	2	720
Rth. Hummingbird	10		10	2	1	1	5		48	2	13	2	5	2	6		52	3	162
Rufous Hummingbird			1							_		_	-	_	-			-	1
Belted Kingfisher	5	4	19		4	1	1	4	10	2		2		4	1	5	10		72
Red-h. Woodpecker	32	18	16			1	11	7		3		1	1	4	•	12		2	108
Red-b. Woodpecker	28	6	66	3	2	1	7	6	31	1	13	13	16	9		50	37	5	294
Yellow-b. Sapsucker	1													•		••	ψ.	Ū	1
Downy Woodpecker	27		14		1	1	8	2	18		8	1	5	8	2	11	12		118
Hairy Woodpecker						1	2	-	3		-	-	•	1	-	2			g
Red-c. Woodpecker			2				-		•					•		-			2
Yellow-sh. Flicker	7	7	7	4			3	2	2	1	5	2	4			5	5	1	55
Pileated Woodpecker	17	3	23	2	6	1	6	2	18	4	3	5	2			8	6	3	109
Eastern Wood-Pewee	14	2	6	2	1	•	ĭ	-	6	3	Ű		2	9	21	4	5	1	77
Acadian Flycatcher	2	-	š	-	•		•		Ŭ	•	2	2	*	1	2.	11	5		21
Willow Flycatcher	-		•				3				-	-		•		1	1		5
Empidonax sp.			1				5	1	3		1	A							10
Eastern Phoebe			•	5	4		3	•	7			-		2	2		6		29
Great Cr. Flycatcher	4	1	1		2		1		2		4			2	4	3	0		28
Eastern Kingbird	-	•	24	1	. 4		•		4		3			4		3	2	1	31

ć٠

ι

۰.

. .

,

.

Species	AIKN	BNWL	CHSTN	I CHKE	CHSTR	EGFD	FFLC	) GTWN	I GRVL	HPTN	HRRY	JSPR		NWBY	OCNE	RCHL	. SPTB	WMBG	S TOT
Purple Martin	2								25		4								31
Tree Swallow			159					1030	7	1	3	86						22	1308
N. Rough-w. Swallow	505					3													508
Bank Swallow								70											70
Cliff Swallow							2												
Barn Swallow	38		216				_	50			8					3		2	317
Blue Jay	65	8	91	41	7	1	12	17	140	4	23	33	32	9	10	32	111	5	641
American Crow	267	6	84	62	35	6	47	17	139	26	20	20	20	16	18	48	196	40	1067
Fish Crow	7	12	380	6	2	•	12			59	20	12	20		10		130	40	498
Crow SD.	17	•=	48	•	-			1		8		12				31			490
Common Raven								•	4	v						31			103
Carolina Chickadee	58	10	164	8	8	1	20	16	59	4	22	5	13	16	15	44	84	4	551
Tufted Titmouse	59	10	136	6	5	5	25	10	93	1	22	6	16	19	9	44 67	86	4	578
Red-br. Nuthatch				Ĵ		v	25	.0	33	•	44	U	10	19	3	07	00	3	5/6
White-br. Nuthatch	11		8						15	1		6			4	19	7	2	
Brown-he, Nuthatch	32	14	7		5		3	2	9	9	3	0	7	-	4			2	73
Brown Creeper	52	14			5		3	2	Э	9	3			2		18	16		127
Carolina Wren	55	3	93	18	3		6	13	46		31				1	••		-	1
House Wren	55	3	- 55 6	1	1		0	13	40		31	14	14	14	2	84	59	3	458
Marsh Wren			6	'	,						3						2		13
Golden-cr. Kinglet			0																6
Ruby-cr. Kinglet															1				1
	1	~	-	1						-		_	_		_		5		7
Blue-gr. Gnatcatcher	10	2	5		_		4		8	2	1	3	3	5	2	4	2		51
Eastern Bluebird	22	3	21	29	7		3	12	76	14	11	1	6	5		28	48	5	291
/eery			16				2				2			1		17	2		40
Gray-cheeked Thrush			7																7
Bicknell's Thrush			1																1
Swainson's Thrush	1		3				9							4	3	20			40
lermit Thrush	2											6				4			12
Nood Thrush							1		2					3		18	2	1	27
American Robin	17				5				157		2		1	50		50	317		599
hrush sp.												51							51
Gray Catbird	3		2	4	1		1		7		1	5	5			8	12	1	50
orthern Mockingbird	51	2	97	16	9		4	10	57	9	21	39	11	3		57	28	8	422
Brown Thrasher	19		29	8	2		2	4	17		10	4	5			8	20	1	129
oggerhead Shrike	6		8	1				3	1	3	3		1			10		2	38
European Starling	306	8	178	45	215		3		228	17	29					61	318	4	1412
White-eyed Vireo	34	2	29	3	1		5	10	1		17	17	1	3	3	43	3	4	176
Blue-headed Vireo							1	1	1						15		-		18

•

Species	AIKN	BNWL	CHSTN	CHKE	CHSTR	EGFC	FFLD	GTWN	GRVL	HPTN	HRRY	JSPR	LXTN	NWBY	OCNE	RCHL	SPTB	WMBG	TOTAL
Yellow-throated Vireo		-	1											2	1	3	1		8
Warbling Vireo															1				1
Philadelphia Vireo									1										1
	23	5	41				4	5	12	3	16	9	3	9	6	4	2		142
Blue-winged Warbler		•	1											1	1	1			4
Golden-winged Warbler			•						1						5				6
Tennessee Warbler	2														10				12
Orange-cr. Warbler	~		1														1		2
Nashville Warbler			•												1	1			2
Northern Parula	17		33		1		4		3	2	1	6		3	4	7			81
Yellow Warbler	17		5		•		•	1	1								1		8
Chestnut-s. Warbler	1		2				2	•	3					3	17				28
Magnolia Warbler	3		5				-		1					2	4	1	2		18
Cape May Warbler	1								1								1		3
Black-thr. Blue Warbler	•		3						•			1		1	3				8
Myrtle Warbler					1				1								1		3
Black-thr. Green Warble					•				•						2				2
Blackburnian Warbler	1							1						1	6				8
Yellow-thr. Warbler	2		4	A			1	•	3		3					1			18
Pine Warbler	47		62	-	2	3	12	6	24	27	11	2	5	19	6	75	21		322
Prairie Warbler	47		17		-	Ŭ		š	1		4	-	-		1				26
Palm Warbler			16		3			2	21		12	2					29		85
Bay-breasted Warbler			10		Ū			-	1			_			10				11
Black-&-wh. Warbler	3	1	10	1	1			1	3		2			2	5	2			31
American Redstart	6	4	31	2	•		4	1	11		27	5	2	7	7	8	1	2	114
	2	1	51	-			-	•	••			1	_				1		5
Prothonotary Warbler	4	1	1						2						2	2			9
Worm-eating Warbler Swainson's Warbler	•								-								1		1
Swainson's warbier Ovenbird									3					1	1	1			6
Northern Waterthrush									•			2		1		1			8
			2						2			-							4
Kentucky Warbler Mourning Warbler			2						-							1			1
Cmn. Yellowthroat	8	5	25	2				5	2		14	6		2	2	6		10	87
Hooded Warbler	0	5	25	~					3		••	1		1	5	1			14
Canada Warbler			5						1							1			2
Yellow-breasted Chat	4			4			7		•		3								12
	1 6	3	2	2	1		2	2	1	7	9	4	1	4	1	7	5	1	59
Summer Tanager	0	3	2	3			~	-	Å	•	, e	1	•	3	12	2			22
Scarlet Tanager						2	17	12	76	13	27	38	15	11	8	100	124	6	749

÷ •

\*\* · · · \*

٤

Fall 1997 Migration Day Count in SC

Sec. 1. 8

. .

 $\mathbf{q}_{i} \leq$ 

Species	AIK	N RINNN	L CHSTI	N CHKE	: CHSTR	<b>LGF</b>	D FFL	J GTW	N GRV	L HPTI	NHRR	y JSPI	R LXTI	1 NWB	OCN	E RCH	L SPTE	S WMB	G TOT
ose-br. Grosbeak	_						1								1		1		3
lue Grosbeak	7		3				1	1			11				1			2	26
idigo Bunting	36		17				9		3					31	4		2		102
ainted Bunting			7																7
astern Towhee	19	6	22	3	3		4	12	20		11	5	3	3		13	24	1	149
achman's Sparrow			- 3																3
hipping Sparrow	- 4	- 4			7				5							5	8	1	34
ield Sparrow				15			5		25								1		46
avannah Sparrow												2					1		3
rasshopper Sparrow									4										4
easide Sparrow			5																5
ong Sparrow				15					6								5		26
ark-eyed Junco									4										-4
obolink			10									65				1	20		96
ed-winged Blackbird	8		282		13				24	4	9					2	1	2	345
astern Meadowlark	2			2	17				16				2			1	2	1	43
oat-tailed Grackle			194					3			2	86					-		285
ommon Grackle	7	9	371	5	4			5	165	39		6			50	4	337		1002
rown-he. Cowbird			18	6					36		1	18	2						81
lackbird sp.																35	50		85
altimore Oriole			1															3	4
ouse Finch	18		33	7			12		35				10	5		158	60	š	346
merican Goldfinch		8		4	1	6	18		26						6		12	•	81
ouse Sparrow	8		10		1				24	5		2			Ŭ	4	3	2	59
pecies	89	51	142	48	61	28	68	80	101	42	69	85	38	60	65	85	89	59	TOTA
dividuals	*****	315	6879	525	592	82	510	1733	3461	433	714	1673	254	391	421	1768	2966		25689
bservers	14	2	15	4	2	1	3	3	15	2	5	6	1	3	6	6	36	3	127
arties	5	1	6	1	2	1	1	1	9	1	3	3	1	1	1	3	10	2	52

The Chat, Vol. 63, No. 1, Winter 1999