Fall 2001 North American Migration Day Count in South Carolina

Donna Slyce Bailey 550 Pin Oak Drive Lexington, SC 29073

The Fall 2001 North American Migration Count was held on September 15, 2001. In South Carolina 18,568 individuals of 194 species were tallied. 111 observers in 74 parties participated in 13 counties across the state.

High winds adversely affected the Fall 2001 Count. All counties reported winds of Beaufort scale 2 or greater, with two counties reporting periods of winds of Beaufort scale 5. The high winds sent many birds into hiding and made hearing difficult. Those who did find birds on this windy day reported that they were in sheltered areas, out of the wind.

A comparison of the Fall 2000 and the Fall 2001 Counts reveals that the diversity of birds reported was undermined somewhat by the difficulty of finding birds in the winds. While the Fall 2001 Count had two more counties reporting than reported in fall 2000 and, consequently, greater coverage and participation, six fewer species and 1,525 fewer individual birds were tallied for fall 2001. Shorebird and songbird diversity within selected families on the Fall 2001 Count was down from the previous autumn's count, while sparrow diversity increased slightly. Several species of shorebird were absent from the Fall 2001 Count, including Black-necked Stilt and American Avocet, perhaps due simply to the absence of Jasper County (and the Savannah Spoil Site) from the Fall 2001 Count. 29 species of warbler were reported in Fall 2000, and 28 species of warbler were reported in Fall 2001. Blackpoll Warbler and Swainson's Warbler occurred on the statewide tally for this fall's count, but Golden-winged Warbler, Orange-crowned Warbler, and Canada Warbler were not found in fall 2001, as they had been last year.

Continued monitoring of a trend noted in the spring 2001 summary finds that numbers of Common Yellowthroat are down on this fall's count. 262 Common Yellowthroats were counted in fall 2000. For fall 2001, 102 individuals were counted, a drop of 61.1%. While Common Yellowthroat was reported from all counties, two counties (Colleton and Kershaw) tallied well over half of all the Common Yellowthroats reported.

Numbers of Common Ground-Dove also declined on this fall's count. Last year 38 individuals from two counties (Georgetown and Jasper) were reported. This year, 2 individuals were reported from only one county, Georgetown. This species grows increasingly difficult to find in South Carolina.

Sparrow diversity increased by one species for the Fall 2001 Count, adding Savannah Sparrow and Grasshopper Sparrow to this year's count. Bachman's Sparrow, occurring on the statewide tally in fall 2000, was not found in fall 2001.

Among the widespread species reported from every county (except Calhoun, where coverage was limited to an hour) were Turkey Vulture, Mourning Dove, Blue Jay, Carolina Chickadee, Tufted Titmouse, Northern Mockingbird, White-eyed Vireo, Red-eyed Vireo, Common Yellowthroat, and Northern Cardinal. Mourning Dove was the most numerous of the widespread species, followed by Northern Cardinal.

Among the highlights of the Fall 2001 North American Migration Count are American White Pelican in Colleton County, Upland Sandpiper from Kershaw County, Black-billed Cuckoo in Dorchester County, Philadelphia Vireo from Lexington County, Purple Finch in Spartanburg County, Red Crossbill in Oconee County, and Dickcissel from Hampton County. 46 species were "exclusives," found only in one county. The exclusives are distributed as follows:

Aiken: 5

Georgetown: 14

Lexington: 1
Oconee: 5

Spartanburg: 3

Colleton: 10 Dorchester: 2 Hampton: 1 Kershaw: 4

Richland: 1

County Summaries

Aiken County (AIKE): 107 species, 2,739 individuals. 60° F to 78° F.

Start Time: 5:50 AM

Stop Time: 8:50 PM

Coordinator: Anne Waters

1621 Apple Valley Drive Augusta, GA 30906 706-793-2788

Participants: Paula Austin, Dan Connelly, Gary Gray, Nancy Greco, Judy Gregory, Gene Howard, Joan Howard, Christine Huzella, Sandra Johnson, James Keener, Paul Koehler, George Reeves, Alice Walker, Doug Walker, Vernon Waters, Calvin Zippler

While Aiken County always reports a nice selection of warblers, this fall's count was a banner year. Aiken County tallied 19 of the 28 species of warbler found statewide. Several of these were exclusives: Blue-winged Warbler, Worm-eating Warbler, and Yellow-breasted Chat.

Calhoun County (CALH): 9 species, 17 individuals. Temperatures not reported.

Start Time: 8:00 AM Stop Time: 9:00 AM

Coordinator: Tim Kalbach

159A Villas Court

West Columbia, SC 29170

803-808-7589

Participants: Tim Kalbach

Calhoun County reported a nice selection of songbird migrants, including Black-throated Blue Warbler, Chestnut-sided Warbler, and Scarlet Tanager. Calhoun County also reported Swainson's Warbler, possibly a local breeder at the surveyed locale, Congaree Bluff Heritage Preserve.

Cherokee County (CHER): 63 species, 905 individuals. 55° F to 71° F.

Start and stop times not reported

Coordinator:

Lyle Campbell

126 Greengate Lane Spartanburg, SC 29307

864-585-1228

Participants: Ken Garrett, J.B. Hines, Karla Lavender, Scott Lavender, Alan Rose, Ed Wilde

Cherokee County reported a nice Horned Lark and excellent numbers of Wild Turkey, as well as a nice pair of migrant warblers, Chestnut-sided Warbler and Magnolia Warbler.

Colleton County (COLL): 100 species, 2535 individuals. 60° F to 72°F.

Start Time: 7:25 AM

Stop Time: 6:30 PM

Coordinator:

Sharon Brown PO Box 327

Adams Run, SC 29426

843-889-8299

Participants: Mrs. M. A. Aldenderfer, Van Atkins, Pete Laurie, Susan McConnel, Tuck McConnel, Bob Seigler, Liz Smylie

Some of the species found in a pocket of warbler fallout in Colleton County were Tennessee Warbler, Nashville Warbler, Blackpoll Warbler, and Northern Waterthrush, as well as more regularly occurring species, such as Magnolia Warbler, Black-throated Blue Warbler, and early Palm Warblers.

Dorchester County (DORC): 85 species, 1257 individuals. Temperatures not reported.

Start Time: 8:00 AM

Stop Time: 5:30 PM

Coordinator:

Dennis Forsythe

748 Swanson Avenue James Island, SC 29412

843-798-3996

Participants: Donna Forsythe, Tom Burst, Margo McMicken, Ann Shahid, Susan Simmons, Jean Wattley

Black-billed Cuckoo, Least Sandpiper, Dunlin, and Swainson's Warbler were nice to find in Dorchester County. Dorchester also reported good numbers of White Ibis and Red-headed Woodpecker.

Fairfield County (FAIR): 66 species, 565 individuals. 60° F to 75° F.

Start Time: 4:30 AM Stop Time: 7:00 PM

Coordinator: Donna Slyce Bailey

550 Pin Oak Drive Lexington, SC 29073

803-996-0960

Participants: Bob Ellis, Kathleen O'Grady

One of two counties reporting winds of Beaufort scale 5, Fairfield was slow for songbirds, but the raptor count was better than average. With the exception of accipiters, Fairfield recorded every regularly occurring raptor, from Osprey to American Kestrel. Fairfield also reported Caspian Tern, only a third county record.

Georgetown County (GEOR): 85 species, 716 individuals. 65° F to 78° F.

Start Time: 7:30 AM Stop Time: 5:30 PM

Coordinator: Jack Peachey

103 Walnut Circle Conway, SC 29520 843-347-5810

Participants: Wendy Allen, Charles Heacock

Along with the previously mentioned Common Ground-Dove, among the species exclusive to Georgetown County were Reddish Egret, American Oystercatcher, Great Black-backed Gull, Black Skimmer, Louisiana Waterthrush, and Cape May Warbler.

Hampton County (HAMP): 45 species, 581 individuals. 61° F to 80° F.

Start Time: 7:05 AM Stop Time: 4:05 PM

Coordinator: Carroll Richard

P.O. Box 893 Hampton, SC 29924 803-943-4661

Participants: David Breland, Karen Breland

Hampton County reported an excellent bird for count day, a Dickcissel, a species exclusive to Hampton County, as well as nice-to-find Yellow Warbler and early Yellow-rumped Warbler.

Kershaw County (KERS): 108 species, 2047 individuals. 62° F to 84° F.

Start Time: 5:00 AM Stop Time: 7:30 PM

Coordinator: Lex Glover

PO Box 117 Lugoff, SC 29078 803-438-9855 Participants: Lex Glover

As a result of surveying several areas that have historically hosted long-legged waders and shorebirds that are interesting because of the far inland location, Kershaw County tallied Snowy Egret, Little Blue Heron, White Ibis, Upland Sandpiper, and Least Sandpiper.

Lexington County (LEXI): 65 species, 1201 individuals. 69° F to 89° F.

Start Time: 7:00 AM Stop Time: 8:00 PM

Coordinator: Molly Bonnell

202 Cannon Trail Road Lexington, SC 29072 803-359-6280

Participants: Andrea Ceselski, Barbara Darden, Jerry Griggs

Lexington County reported the previously mentioned Philadelphia Vireo, always nice to find in the state and exclusive to Lexington County for this count, as well as migrant Scarlet Tanager.

Oconee County (OCON): 65 species, 573 individuals. 50°' F to 78° F.

Start Time: 6:40 AM Stop Time: 6:20 PM

Coordinator: Steve Wagner

316 E. Creswell Greenwood, SC 29646 864-223-0416

Participants: Carroll Belser, Michael Childress, Don Cox, Steve Cox, Vicki Cox, Jennifer Dever, Sid Gauthreaux, Michelle Kittell, Drew Lanham, Larry LeCroy, Steve Patterson, Margaret Ptacek

Accumulating the usual good number of exclusives, Oconee County reported Red-breasted Nuthatch, Brown Creeper, Blue-headed Vireo, Dark-eyed Junco, and the previously mentioned Red Crossbill. Oconee County also reported a nice number of the "mountain" warblers, including Tennessee Warbler, Chestnut-sided Warbler, and Blackburnian Warbler.

Richland County (RICH): 53 species, 3150 individuals. 56° F to 76° F.

Start Time: 5:30 AM Stop Time: 8:30 PM

Coordinator: Robin Carter

4165 E. Buchanan Drive Columbia, SC 29206 803-788-8820

Participants: Caroline Eastman, Ida Frueh, Paul Frueh, Lloyd Moon, Roger Thorndike

The species exclusive to Richland County was Yellow-bellied Flycatcher, a distinctly uncommon migrant. Richland also reported Blackburnian Warbler and Magnolia Warbler, a pair of nice-to-find species, among the migrant

warblers. Richland County was also one of only three counties reporting Common Nighthawk, along with Spartanburg and Cherokee Counties

Spartanburg County (SPAR): 93 species, 2282 individuals. 55° F to 71° F.

Start and stop times not reported Coordinator: Lyle Campbell

126 Greengate Lane Spartanburg, SC 29307

864-585-1228

Participants: Debbie Allman, Frankie Altman, Chris Anderson, Laura Bannon, Beth Bartel, Frank Bartel, Anna Bennett, Susan Bennett, Tim Brown, Sarah Campbell, Dan Codispoti, Linda Deahl, Glenn Englehardt, Roy Fowler, Pat Fowler, Ron Gahagan, Onoosh Gahagan, Robin Gilman, John Green, Betty Howard, Jessie Ivy, Connie Jenne, Ron Jenne, Joel Jones, Micky Marotte, Angela Miller, Mike Miller, Jim Miller, Margaret Miller, Bill Moody, Virl Momier, Ken Pearson, Lisa Pearson, Bob Powell, Doug Rayner, Ginny Scott, Walton Scott, Mac Shealy, Dick Thorpe, Lois Thorpe, Gerald Thurmond, Dan Wooten, Nancy Wooten

Spartanburg tallied a diverse selection of songbirds, including Tennessee Warbler, Nashville Warbler, Yellow Warbler, Yellow-rumped Warbler, and Purple Finch. Purple Finch was one of the species exclusive to Spartanburg County. Spartanburg County reported the highest number of Wild Turkey in the state, recording 64 birds.

Carolinabirds

Carolinabirds is an Internet e-mail discussion group about birds and birding in the Carolinas. Subscribers frequently post sightings to it similar to those found in Briefs for the Files, but unusual behavior receives more attention. Subscriptions are free. To subscribe, address an e-mail message to <majordomo@duke.edu>. Don't fill in the subject line. As your message, simply put, "subscribe carolinabirds" (without the quotes). You will receive a confirmation and more information shortly. Submissions for Briefs for the Files should be sent directly to Ricky Davis.

North American Migration Count South Carolina

15 September 2001	AIKE	CALH	CHER	COLL D	ORC	FAIR	GEOR	HAMP	KERS	LEXI	OCON	RICH	SPAR	TOTAL Individuals	# Counties Reporting Species
Common Loon				. 88					1					1	1
Pied-billed Grebe			. 1	4		2	5		2		1			15	6
American White Pelican				4										4	1
Brown Pelican				49			3 8							52	2
Double-crested Cormorant	1			4		6	8		6	: -				26	6
Anhinga	4			21	1			2	4	1				33	6
Least Bittern				1										1	1
Great Blue Heron	6 8		1	26	1	11	3		64		4		10		11
Great Egret	8			252	5 2	25			43		15		3		10
Snowy Egret	000000000000000000000000000000000000000			29	2		26		52					121	5
Little Blue Heron	3			8	1		14		- 8					35	6
Tricolored Heron				16			6							22	2
Reddish Egret							1							1	1
Cattle Egret	57			78	25				94	9				263	5
Green Heron	8			5		1	2		1		2	1	. 5	25	8
Black-crowned Night-Heron				2						į.				2	1
White Ibis				204	95		13		30					342	4
Glossy Ibis				5 🛞			3							8	2
Wood Stork	2			28	1		41	8						80	5
Canada Goose	141		86		21				1	2	48		255		7
Wood Duck	13		5			2			14	4	3		4	45	7
Mottled Duck				2										2	1
Mallard	26				38			6		8			82	160	5
Northern Pintail	9													9	1
Blue-winged Teal							3							3	1
Black Vulture	33		16	30	40	41		69	38	13	7	1	. 6	294	11

15 September 2001						LEXI OCON	RICH SPAR		# Counties Reporting Species
Turkey Vulture	48	12	62 18	46 10	39 56	32 27	4 2 2	376	12
Osprey	1		6 1	3 4	4	3	1	23	8
Bald Eagle	1	300000000000000000000000000000000000000	6	3 2	4 3			19	6
Northern Harrier	1		2	1 1				5	4
Sharp-shinned Hawk		9000000000 9000000000	1 2		3	1 1	2	10	6
Cooper's Hawk		1 1			1			3	3
accipiter sp.		000000000			1			1	1
Red-shouldered Hawk	11	1	3 18	2	1		1 3	40	8
Broad-winged Hawk		2000000000		1		59	1	61	3
Red-tailed Hawk	3	7 1	2 5	2	- 6	5 3	8	41	9
American Kestrel	- 6		8 14	4	3 5	1	2	44	9
Peregrine Falcon	2			100000000000000000000000000000000000000				2	1
Wild Turkey	19	14	3	1 1	2		64	104	7
Northern Bobwhite	12		1	2	1	1	6	23	6
Clapper Rail			1	10		_	7	11	2
Common Moorhen	1		19	2 11	32			54	4
Black-bellied Plover		**********		11				11	i i
Semipalmated Plover	1		14	7				22	3
Piping Plover			1					1	1
Killdeer	53	10	35	7 1	18	2 11	1 20	153	10
American Oystercatcher		10		2 *	***	2 11	1 20	4	10
Greater Yellowlegs	8		ງ		4			19	1
Lesser Yellowlegs			2	u	1				4
		00000000000000000000000000000000000000	J					4	2
Solitary Sandpiper Willet		3000000000			2			4	1
		0000000		16		•		16	1_
Spotted Sandpiper	L	9000000000		6	3	1	1	12	5
Upland Sandpiper					4			4	1
Marbled Godwit			4.0	1				1	1
Ruddy Turnstone			10	8				18	2
Sanderling			166	6				172	2

15 September 2001	AIKE	CALH	CHER	COLL	DORC	FAIR	GEOR	НАМР	KERS	LEXI	OCON	RICH	SPAR	TOTAL Individuals	# Counties Reporting Species
Semipalmated Sandpiper							2							2	1
Western Sandpiper	2			9			2							13	3
Least Sandpiper	79				1		2		18					100	4
peep sp.				2										2	1
Dunlin					12									12	1
Short-billed Dowitcher							63							63	1
dowitcher sp.							7							7	1
Common Snipe									2					2	1
Laughing Gull				367	'		41							408	2
Bonaparte's Gull				3	l			à E						3	1
Ring-billed Gull				18			3 7		2					23	3
Herring Gull				43	l		7	ê S						50	2
Great Black-backed Gull							1							1	1
Gull-billed Tern				3	1									3	1
Caspian Tern				8	90000000000000	2	12							23	4
Royal Tern				53	3		20							73	2
Sandwich Tern				3	3		4							7	2
Forster's Tern	300000000000000000000000000000000000000			7	,		10	ř						17	2
Black Tern				1										1	1
Black Skimmer							- 5	8						6	1
Rock Dove	17			12	2 16	2		25	102	100	2	89	53	418	10
Eurasian Collared Dove				5				ê ê	9			1		15	3
Mourning Dove	105	8	47	17	' 81	16	4 2	44	84	107	56	15	98	674	12
Common Ground-Dove							2							2	1
Black-billed Cuckoo					1									1	1
Yellow-billed Cuckoo					1	2		8	1	1			2	7	5
Eastern Screech-Owl	7					1			2		1	1	1	13	6
Great Horned Owl									3				1	4	2
Barred Owl	1			1	. 2	2			4	1			2		7
Common Nighthawk			3			:		8				9	3	15	3

15 September 2001	AIKE	CALH	CHER	COLL E	ORC	FAIR	GEOR	НАМР	KERS	LEXI	OCON	RICH	SPAR	TOTAL Individuals	# Counties Reporting Species
Whip-poor-will			1	*					1					2	2
Chimney Swift	100				28	13	3	1	140		9		58		10
Ruby-throated Hummingbird	13		4	1	- 6	5		4	5		6		67		10
Belted Kingfisher	4		1	1 🎆		3	3		2	2	7		15		9
Red-headed Woodpecker	13			2	10	2		5	1			4	1	38	8
Red-bellied Woodpecker	37		4	13	- 8	3	3 2		4			7		121	10
Downy Woodpecker	,15		- 8	10	- 6	7	2		3	3	5	3			11
Hairy Woodpecker	1			*	2						2		3	_	4
Red-cockaded Woodpecker					1				2					3	2
Northern Flicker	2		1 1	2				1	- 6			2	2 5	17	8
Pileated Woodpecker	18				- 5	2			1		2				11
Eastern Wood-Pewee	18		4	6	1		1		1	8	3	7	- 8	57	10
Yellow-bellied Flycatcher												1		1	1
Acadian Flycatcher	2	3		*								1		3	2
Eastern Phoebe			1		2	4			4		7		35		6
Great Crested Flycatcher	3		1	1	1		1				1	1	2		8
Eastern Kingbird				33	2				11	1				14	3
Horned Lark) }	1						- 4					5	2
Purple Martin													15	15	1
Tree Swallow	12			69	- 8		- 8			11				108	5
Northern Rough-winged Swallow	72	8				1			30					111	4
Bank Swallow		t Š			5				20					25	2
Barn Swallow	111	Š		7	11			30	120					279	5
Blue Jay	58	Š	43	7	7	19	16	1	41	38	4	19	79		12
American Crow	160	Š	114	117	119	31		23	93	66	18	14	142	897	11
Fish Crow	1		2	26	40	3								72	5
crow sp.						20	1		2					30	4
Carolina Chickadee	104		15	49	22	21	14	1	25	48	29	23	74	425	12
Tufted Titmouse	107		18	38	17	19	14	3	34	37	13	10	84	394	12
Red-breasted Nuthatch											10			10	1

15 September 2001	AIKE	CALH CHER	COLL	DORC	FAIR (GEOR	НАМР К	ERS	LEXI	OCON	RICH	SPAR	TOTAL Individuals	# Counties Reporting Species
White-breasted Nuthatch	20		4	4		1		1		6		4		8
Brown-headed Nuthatch	54	3	7	3	5 🖔	13		40	9	1	11	18	164	11
Brown Creeper										2			2	1
Carolina Wren	74	16	20	16	5	8		44	35	13	22			11
House Wren	2004000000			1	1 3			1	1		1	2	7	6
Marsh Wren			1		ě								1	1
Ruby-crowned Kinglet	, 7 5			1								3		3
Blue-gray Gnatcatcher			12	4	2	1		8	8	1		5		9
Eastern Bluebird	48		2	- 6	2		5	21	44	13	4	113		11
Veery	3			1	2			1			2	1	10	6
Gray-cheeked Thrush	1				1								2	2
Swainson's Thrush	1		2		1			2			2		8	5
Hermit Thrush	3		1										4	2
Wood Thrush	1			1								2	4	3
American Robin	18	50		1	1			30	4		3	130	237	8
Gray Catbird	8	3	8 8	9	Š	2 5		3	1	1		12	39	8
Northern Mockingbird	39	31	8	44	9	5	8	29	59	4	15	65	316	12
Brown Thrasher	12	1	1	2 4	Š	1		10	8		1	24	60	9
Loggerhead Shrike	'6	1		4	Ŷ		4	14	2			2	33	7
European Starling	335	174	47		50		3	177	88	73	13	42	1002	10
White-eyed Vireo	20	1	17	11	1	7	2	9	2	73 2	10			12
Blue-headed Vireo			8							- 6			6	1
Yellow-throated Vireo	2			4	3				2			1	9	4
Philadelphia Vireo			*						3				3	1
Red-eved Vireo	18	3	7	8	2	4	1	21	4	6	4	3	81	12
Blue-winged Warbler	1		8										1	1
Tennessee Warbler	98996		1							3		3	7	3
Nashville Warbler			1									1	2	2
Northern Parula	39	1	9	1	1		7	10		5	3	5	81	10
Yellow Warbler	1						1					1	3	3
	599555899555	A. AMM99999	v.	annannanna.		varanta ana	r 93	anaratyan)(2)		*************		www.www.	v.	

Cheshut-sided Warbler	15 September 2001	AIKE	CALF	l CHER	COLL	DORC	FAIR	GEOR	HAMP	KERS	LEXI	OCON	RICH	SPAR	TOTAL Individuals	# Counties Reporting Species
Cape May Warbler Black-throated Blue Warbler 2		7		5						3	1	3				7
Black-throated Blue Warbler 2		4		4	1		1			5		1	1	10	27	8
Yellow-rumped Warbler								1							1	1
Black-throated Green Warbler 1		2	1	L	2									1	6	4
Blackburnian Warbler 1		1							1					3		3
Yellow-throated Warbler 1 2 1 1 1 6 5 Pine Warbler 72 5 26 3 6 3 26 12 7 12 18 190 11 Prairie Warbler 13 1 2 1 2 1 3 20 5 Blackpoll Warbler 2 3 3 1 6 5 5 20 6 Blackpoll Warbler 5 1 3 1 3 5 7 5 1 2 1 Blackpoll Warbler 5 1 3 1 3 5 7 5 1 2 1 American Redstart 44 2 4 35 5 2 6 2 4 10 2 37 153 12 Worm-eating Warbler 1 1 1 1 1 1 1 1 1 1		1								7		4				3
Pine Warbler 72 5 26 3 6 3 26 12 7 12 18 190 11 Prairie Warbler 13 1 2 1 2 1 3 20 5 Palm Warbler 2 3 3 1 6 5 5 20 6 Black-and-white Warbler 5 1 3 1 3 5 7 5 1 2 4 37 11 American Redstart 44 2 4 35 5 2 6 2 4 10 2 37 153 12 Prothonotary Warbler 1	-											1	1	2		3
Prairie Warbler 13 1 2 1 2 1 5 20 5 Palm Warbler 2 3 3 1 1 6 5 20 6 Black-poll Warbler 5 1 3 1 3 1 6 5 20 6 Black-poll Warbler 5 1 3 1 3 5 7 5 1 2 4 37 11 American Redstart 44 2 4 35 5 2 6 2 4 10 2 37 153 12 Prothonotary Warbler 1 1 1 1 1 2 <		/100 Page 100 Page 10						2			1	1		1	. •	5
Palm Warbler 2 3 3 1 6 5 5 20 6 Blackpoll Warbler 5 1 3 1 3 5 7 5 1 2 4 37 11 American Redstart 44 2 4 35 5 2 6 2 4 10 2 37 153 12 Prothonotary Warbler 1 1 1 1 2				5	26	- 3	6	3				7	12			11
Blackpoll Warbler		10000000000000		900000000		1		2								5
Black-and-white Warbler 5 1 3 1 3 5 7 5 1 2 4 37 11 American Redstart 44 2 4 35 5 2 6 2 4 10 2 37 153 12 Prothonotary Warbler 1 1 1 1 1 1 2 3 3 2 2 3 4 1 9 3		2		3	3			1		- 6				5		6
Prothonotary Warbler 1					2											1
Prothonotary Warbler 1						3		5				1				
Worm-eating Warbler 1 1 1 1 1 1 1 1 1 1 1 1 1 1 2 3 4 1 9 102 12 1		44		2 4	35	- 5	2	6	2	4	10		2	37	153	12
Swainson's Warbler 1 1 1 2 3 2 2 5 2 2 2 3 2 2 3 3 2 5 2 2 2 3 3 2 2 3 4 1 7 3 3 2 2 3 4 1 9 1		1							1						2	2
Ovenbird 3 2 5 2 Northern Waterthrush 5 1 1 7 3 Louisiana Waterthrush 1		1													1	1
Northern Waterthrush Louisiana Waterthrush Common Yellowthroat 8 2 37 6 2 6 2 22 3 4 1 9 102 12 Hooded Warbler 4 1 5 1 12 5 Yellow-breasted Chat Summer Tanager 13 6 4 2 10 4 2 2 3 46 9 Scarlet Tanager 2 1 1 2 2 2 1 1 1 10 7 Northern Cardinal 113 29 27 42 37 10 9 49 79 10 48 115 568 12 Rose-breasted Grosbeak Blue Grosbeak 5 2 4 1 1 1 2 2 2 3 3 4 57 8			:	L		1									2	2
Louisiana Waterthrush Common Yellowthroat 8 2 37 6 2 6 2 6 2 22 3 4 1 9 102 12 Hooded Warbler 4 1 1 5 Yellow-breasted Chat 1 Summer Tanager 13 6 4 2 11 5 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8			ĺ							3		2	i E		5	2
Common Yellowthroat 8 2 37 6 2 6 2 22 3 4 1 9 102 12 Hooded Warbler 4 1 1 1 5 1 12 5 Yellow-breasted Chat 1 1 5 1 12 5 Yellow-breasted Chat 1 1 5 10 4 2 2 3 46 9 Summer Tanager 13 6 4 2 10 4 2 2 3 46 9 Scarlet Tanager 2 1 1 10 7 Northern Cardinal 113 29 27 42 37 10 9 49 79 10 48 115 568 12 Rose-breasted Grosbeak 5 2 4 1 1 12 4 Indigo Bunting 32 1 1 1 2 2 </td <td>Northern Waterthrush</td> <td></td> <td>į</td> <td>300000000</td> <td>5</td> <td></td> <td></td> <td>1</td> <td></td> <td>1</td> <td></td> <td></td> <td></td> <td></td> <td>7</td> <td>3</td>	Northern Waterthrush		į	300000000	5			1		1					7	3
Hooded Warbler	Louisiana Waterthrush							1							1	1
Yellow-breasted Chat 1 2 2 2 1 2 2 2 2	Common Yellowthroat			2	37	- 6	2	6	2	22	3	4	1	9	102	12
Summer Tanager 13 6 4 2 10 4 2 2 3 46 9 Scarlet Tanager 2 1 1 2 2 2 1 1 10 7 Northern Cardinal 113 29 27 42 37 10 9 49 79 10 48 115 568 12 Rose-breasted Grosbeak 2 2 4 1 5 3 3 1 2 2 2 3 4 57 8	Hooded Warbler	4		20000000		1				1		5		1	12	5
Scarlet Tanager 2 1 1 2 2 1 1 10 7 Northern Cardinal 113 29 27 42 37 10 9 49 79 10 48 115 568 12 Rose-breasted Grosbeak 2 2 4 1 5 3 3 12 4 1 1 12 4 Indigo Bunting 32 1 1 12 2 2 3 3 4 57 8	Yellow-breasted Chat	1	ĺ						8				8		1	1
Northern Cardinal 113 29 27 42 37 10 9 49 79 10 48 115 568 12 Rose-breasted Grosbeak Blue Grosbeak 5 2 4 1 5 12 4 Indigo Bunting 32 1 1 12 2 2 3 4 57 8	Summer Tanager	13	<u> </u>	100000000000000000000000000000000000000	6	4	2			10	4	2	2	3	46	9
Rose-breasted Grosbeak 2 2 1 5 3 Blue Grosbeak 5 2 4 1 12 4 Indigo Bunting 32 1 1 12 2 3 4 57 8	Scarlet Tanager	2		1 1	1 0 8				í S	2	2					7
Blue Grosbeak 5 2 4 1 12 4 Indigo Bunting 32 1 1 12 2 2 3 4 57 8	Northern Cardinal	113	ĝ X	29	27	42	37	10	9	49	79	10	48	115	568	12
Indigo Bunting 32 1 1 12 2 2 3 4 57 8	Rose-breasted Grosbeak								Š	2		2) 	1	5	3
	Blue Grosbeak				5	2	4		ĺ	1	į				12	4
Painted Bunting 3 1 1 5 5 3	Indigo Bunting	32	Ē		1	1	12		2	2			3	4	57	8
runices burning	Painted Bunting		ş Ş		j S			3	1	1					5	3

15 September 2001 Dickcissel	AIKE	CALH	CHER	COLL	DORC	FAIR	GEOR	HAMP	KERS	LEXI	OCON	RICH	SPAR	TOTAL Individuals	# Counties Reporting Species
Eastern Towhee	35		1	19	4	•		1	18	2	1	9		1 107	1
Chipping Sparrow	•		12		7				4	2		7	17 10		10 5
Field Sparrow	2		5			7			ź				9		5
Savannah Sparrow			1			·	3		.					4	2
Grasshopper Sparrow													1	1	1
Seaside Sparrow							3							3	1
Song Sparrow			1								1		7	9	3
Dark-eyed Junco											1			1	1
Red-winged Blackbird	7			102	20		3		35				3	170	6
Eastern Meadowlark	18		15	_					2				6		4
Boat-tailed Grackle				53	51		19							129	4
Common Grackle Brown-headed Cowbird	, 6 1		40	4	******	1		2	60	59	15	475	29	706	11
Baltimore Oriole			24	50	200	50		_	26	8				359	7
Purple Finch								2	5					7	2
House Finch	27		13		22	3		17	26	Ε0		7	2	5	1
Red Crossbill	٤/					3		17	- 20	50	- 5		92	257 2	9
American Goldfinch	12		8		1	20			29	4	2 9	1	71	_	1
House Sparrow	42		5		11	20		23		7	5	76	12		9
Sterna sp.?							100			,		, 0		100	1
Hummingbird sp?							3							3	ī
Empidonax sp?			1			1			4					10	4
warbler sp?				22										22	1
Constan														TOTALS	
Species	107		63	100	85	66	85	,	108	65	65		93		
Individuals	2739	17	905	2535	1257	565	716	581	2047	1201	573	3150	2282	18568	

15 September 2001	AIKE	CALH (CHER	COLL E	ORC	FAIR	GEOR	HAMP	KERS	LEXI	OCON	RICH	SPAR	TOTAL Individuals	# Counties Reporting Species
Observers	17	1	6	4	7	3	3	1	1	4	13	6	45	111	
Parties	13		5	7	4	2	3 2	1	1	3	1		32	74	
#Counties	1	1	1	1	1	1	1	1	1	1	1	1	1	13	
Hours foot	47.5	1	19.5	10.3	2	5.5	10.8		4		6.5	8.5			
Hours car	15	0	8.5	4	7.5	9	2.75	4.5	7.5		5	1	9.5	83.25	
Hours boat	0		0	0 🖔	0	0	0		0	0	0	0	2.5	2.5	
Hours canoe/kayak	2	0	0	0	0	0	0	0	0	0	0	0	0	2	
Hours other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Miles foot	27,3	2	19.5	5.25	4	8	8	3	3	9	4	5	27.8	125.75	
Miles car	138		124	88.8	215	240		127	162		122				
Miles boat	0		0	0	0	0	0	0	0		0		100000000000000000000000000000000000000		
Miles canoe/kayak	2		0	0	0	Ö	0	0	0	0	0	•	Ō	2	
Miles other	Ō	0	Ō		0	0		0	Ō		Õ		Ô	ō	
Hours Feeder Watch	5.5	0	4	0	8.5	0	0	0	0	4	0	0	59.5	81.5	
#Feeder Watchers	5		3	0	3	Ō	0	Ō	0			0	27		
#Feeder Stations	11		4 3 2	ō	Ō	ŏ	0 0	ō	Ō	3	Ō		500000000000000000000000000000000000000		
Hours Stationary	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
#Parties Stationary	Ō		Ō	ō	0	Ō	0	Ō	Ō	:			0	č.	
#Observers Stationary	, õ		Ö	ő	Õ	ő			Õ		Ŏ		A CONTRACTOR CONTRACTOR		
Hours Owling	3	0	1.5	0	0	2	0	0	2	0	0	1.5	2	12	
Miles Owling	30	7 7 9			0	õ	0	0			0		2	59	
#parties owling	3	0 49	2 2	0	Õ	1	0	0	1	•	0		3	11	
#observers owling	5		3	0	Ŏ	1	0	0	1	8	0		4		
#ODSGIVELS OWINING	,	J	,	J	J	1	v	Ū	*	U	۰	2		10	

15 September 2001	AIKE	CALH	l CHER	COLL	DORC	FAIR	GEOR	HAMP	KERS	LEXI	OCON	RICH	SPAR	TOTAL Individuals	# Counties Reporting Species
TEMPERATURE: PRE-DAWN DAWN AM NOON PM SUNSET NIGHT	60 60 62 70 76 78	- - - -	62 55 60 64 71 67 57	- 60 62 66 72 70	111111	61 60 65 71 75 66	- 65 - 78 -	- 61 69 78 80 -	- 62 - 84	- 69 75 89 89 82	- 50 56 58 78 76	58 56 62 73 76 74 72	62 55 60 64 71 62		
WIND: PRE-DAWN DAWN AM NOON PM SUNSET NIGHT	3 3 4 3 3 3 2	- - - -	37 3 4 5 3 2 2	- 3 4 3 3	4 4 4 4 4 4	5 4 4 4 4 3	- - 4-5 4-5	- 3 3 3 - -	3 3	-	2 2 2 2 2 2	2 3 3 3 2 2 2	57 3 3 4 4 3 2 2		
%CLOUDS: PRE-DAWN DAWN AM NOON PM SUNSET NIGHT	40 75 5 20 20 25 5	-	10 10 10 10 10 10 10	- 90 90 70 50 40 -	1 1 1 1 1 1 1 1 1	50 0 0 0 0 0	- 35 - 20 -	- 10 50 50 50 - -		-	- 0 0 0 10 10	70 70 80 50 40 50	10 10 10 10 10 10		
PRECIPITATION: PRE-DAWN DAWN AM NOON PM SUNSET NIGHT	0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0 0 0		0 0 0 0 0 0	0 0 0 0 0	0 0 0 0 0 0		