

2002 Spring Bird Count

Peggy Ferebee

Natural Science Center, 4301 Lawndale Drive, Greensboro, NC 27455

This year's count covered 14 count circles, down from 16 last year. High Point, NC, Columbia, SC and Irmo, SC did not report this year. Stone Mountain, NC was added this year. The total field hours reported this year were 928.4, down from 1103 last year. This resulted in fewer birds being counted: 66,427 individuals of 188 species compared to 72,549 individuals of 232 species last year. The lack of counts from coastal areas contributed to the lower species total and lower number of shorebirds, gulls, terns and other species such as the Great Crested Flycatcher that such areas usually report. Many areas reported rain or overcast skies, which also may have affected the outcome. Some species were reported at record lows: Broad-winged Hawk, American Coot, Greater Yellowlegs, Wilson's Snipe, Eastern Kingbird, Fish Crow, White-eyed Vireo, Grasshopper Sparrow and Orchard Oriole. American Kestrels, Tree Swallows, and Blue Grosbeaks also were down. Northern Bobwhites continued their decline but Eastern Meadowlarks held steady. We actually had some good warbler numbers, except for a few species such as Cape May and Yellow-throated Warblers. We also had a record number of Great Blue Herons thanks to a productive rookery in Chapel Hill. House Finches were up but so were Purple Finches and American Goldfinches. Some of the other species with higher numbers this year include Field Sparrow, Savannah Sparrow, Bobolink, Dark-eyed Junco, and Northern Oriole.

BCNC-Asheville, NC. Circle center on Bull Mountain near Ox Creek Road. May 12. Weather partly cloudy, temperature 55°-75°F.

Participants: Compiler Marilyn Westphal, Hendersonville, NC. Sally Coburn, Kat Dunham, Lou Dwarshuis, Peggy Franklin, Charlotte Goedsche, Marilyn Kolton, Peggy Lasher, Tim Lewis, Esther Pardue, Len Pardue, Kitti Reynolds, Lee Reynolds, Les Saucier, Tom Tribble.

Compiler's comments: The second annual Buncombe County Spring Migration Count took place Sunday, May 12th with 15 participants. The Buncombe County count area covers elevations ranging from 2,000 to over 5,000 feet and captures a wide range of species including several near the southern edge of their breeding range. The most interesting species found were a Black-billed Cuckoo, a Hermit Thrush (late migrant?), and a flock of 52 Bobolinks. Other interesting finds were 28 Tree Swallows found in four of the seven sections in the count area. The breeding range of the Tree Swallow has been expanding south in North Carolina for the past few years and more are found breeding here every year. A total of 270 Cedar Waxwings were also counted, with all sections finding at least a few. This total greatly exceeds the number found on last year's count (39).

CPNC—Chapel Hill, NC. Center Franklin and Columbia. May 12, 05:00–19:30 h. Temperature 59°–87°F with SW wind 5–10 mph, under mostly sunny skies.

Participants: Compiler Will Cook, P.O. Box 3066, Durham, NC 27715. Kim Aycrigg, Scott Barnes, Todd Bishop, Brian Bockhahn, Audrey Booth, Norm Budnitz, Chris Canfield, Bob Chase, Will Cook, Anson Cooke, Dwayne Cooke, Paul Ferster, Kent Fiala, Kate Finlayson, John Frederick, Jill Froning, Marie Graves, Maurice Graves, Steven Graves, Perry Haaland, Lois Ann Hobbs, Phil Johnson, Alan Johnston, Eleanor Kilgour, Fred Kilgour, Betty King, Jim Lansing, Roy Lindholm, Ken Lundstrom, Kate MacQueen, Carolyn Mercer, Emily Minor, David Murdock, Judy Murray, Oliver Orr, Stephen Perry, Magnus Persmark, Liz Pullman, Toni Rexrode, Dori Rhodes, Mac Robinson, Josh Rose, Barbara Roth, Harriet Sato, Doug Shadwick, Mike Skakuj, Hersch Slater, Lee Sloane, Hal Snyder, Kirsten Snyder, Marsha Stephens, Edith Tatum, Judy Teague, Shelley Theye, Pam Timmons, Ginger Travis, Amalie Tuffin, Lee Van Malssen, Carol Williamson.

Compiler's comments: The Chapel Hill Spring Bird Count on May 12, 2002 had a near record amount of observer effort (190.4 party-hours), which produced a record high count of individuals and many record high counts of individual species. The total of 122 species is average, but the total of 13,706 birds beats the old record by almost 2000.

Several unusual species were found, the best of which were two Semipalmated Sandpipers at the Farrington Road wastewater plant (Stephen Perry and Brian Bockhahn), two Caspian Terns (Doug Shadwick) and one Forster's Tern (Ginger Travis) at Jordan Lake, and a Swainson's Warbler at New Hope Creek (Kent Fiala). Other birds we usually miss included the American Black Duck and Wild Turkey.

Record highs were many, thanks in part to the high level of participation. Even with that taken into consideration, though, we had an excellent count. Great Blue Herons continue their steep ascent, thanks in large part to the breeding colony at Cub Creek, Jordan Lake, found by Alan Johnston. This year's total of 243 is over 100 more than the previous record of 138, set last year. In the recent past, 10–20 Great Blues was a normal count. We also set record highs for Great Egret, Turkey Vulture, Wood Duck, Mallard, Wild Turkey, Ruby-throated Hummingbird, Red-headed, Red-bellied, Downy, and Pileated Woodpeckers, Eastern Wood-Pewee, Great Crested Flycatcher, Blue-headed Vireo, Fish Crow, Carolina Chickadee, White-breasted and Brown-headed Nuthatches, Carolina Wren, Blue-gray Gnatcatcher, American Robin, Brown Thrasher, Pine Warbler, Prothonotary Warbler, Ovenbird, Louisiana Waterthrush, Eastern Towhee, Chipping Sparrow, Song Sparrow, Northern Cardinal, Indigo Bunting, Brown-headed Cowbird, and House Finch. The record high counts for woodpeckers may be related to the large number of dead trees from Hurricane Fran. We've been setting many record highs lately for them during the Christmas Bird Counts.

We didn't set any record lows, though we missed Bobolink for the first time since 1971, and had very low numbers of Northern Bobwhites (continuing the long decline), Solitary Sandpiper (Spottedts were numerous), and Kentucky Warbler (missed at Mason Farm this year).

DUNC–Durham, NC. Center 1 mile north and east of junction of Eno River and US 501. April 28, 05:30–16:00 h. Temperature 64°–82°F with light rain in the morning. Wind variable and gusty at times, 0–15 mph, under an overcast sky.

Participants: Compiler Michael Schultz, 5504 Woodberry Road, Durham. NC 27707. Patsy Bailey, Lynn Bossong, Norm Budnitz, Sandy Cash, Will Cook, Dwayne Cooke, Rachel Harden, Janet Krakauer, Tom Krakauer, Stephen Perry, Toni Rexrode, Josh Rose, Harriet Sato, Lois Schultz, Michael Schultz, Doug Shadwick, Jonathan Steere, Matt Steere, Sarah Steere, Edith Tatum, Carol Williamson.

Compiler's comments: In general this was a lackluster count. Our species total of 115 was the lowest in 10 years. However, the individual total was only slightly below average. Cliff Swallows, Ovenbirds, Northern Waterthrushes and Indigo Buntings were in record high numbers for this count. Yellow-rumped Warblers were surprising low at 1450. This is about a quarter of the number that we usually record. The 1992 count had a similar low count but other than that we have to go back in the '70s to find similar low counts. Bobwhites and Eastern Meadowlarks continue in meager numbers reflecting their severe habitat loss in our region.

GRNC–Greensboro, NC. Center the intersection of Highway 220 N and Pisgah Church Road. May 4, 06:45–20:00 h. Temperature 49°–58°F. Precipitation 0.28 inches. Wind calm in the morning with light intermittent rain and up to 4–5 mph in the afternoon. Sky was cloudy all day.

Participants: Compiler Donald Allen, 2611 David Caldwell Drive, Greensboro, NC, (336) 288-3045. Carolyn Allen, Donald Allen, Louise Brown, Dennis Burnette, Lynn Burnette, Chris Carter, Sue Cole, Phil Crisp, Scott DePue, Larry Gasper, Herbert Hendrickson, Phillip Kellam, Elizabeth Link, Henry Link, Jean McCoy, Gregg Morris, Lynn Moseley, Jean Murdick, Jean Murphy, John Rucker, Laurie Sorrell, Emily Talbert.

Compiler's comments: Count day was a cool, cloudy, and rainy day. Thus, it was no surprise that both the number of birds and bird counters were less than could have been hoped for. Showers, at times, were heavy and birds and birders sought shelter. This combination of factors resulted in a disappointing count with diminished numbers of species and individual birds.

HCNC–Hendersonville, NC. Circle center near the corner of US 64 and Rugby Road. May 11. Temperature 60°–75°F. Weather partly cloudy. 10 parties, 18 observers.

Participants: Compiler Jim Neal, Hendersonville, NC. Ken Anderson, Helen Bell, James Craig, Larry Farer, Bet Fontaine, Peggy Franklin, Charlotte Goedsche, Rick Hensley, Barbara Neal, James Neal, Frances

Ogasawara, Bob Olthoff, Janie Owens, Skylar Segsan, Ron Selvey, Simon Thompson, Marilyn Westphal, Jennifer Wren.

Comments: A total of 110 species were found on the Henderson County Spring count on May 11th. The extensive flat river valleys combined with the mountain forest produced a wide variety of species. The group found an amazing 26 species of warblers including Cerulean, Bay-breasted, and, most surprisingly, a Prothonotary. Even more surprising, the Prothonotary stuck around for three days in the marshy area along the French Broad River where it was found. Another unusual bird for Henderson County was a Sedge Wren also found near the river. The Henderson Count also produced a high number of Cedar Waxwings (214), Northern Bobwhites (17), and Field Sparrows (50). Most of the Bobwhites and Field Sparrows were found in areas that are protected from development, which clearly shows the need to protect open field habitat.

HRNC—Hanging Rock State Park, NC. Center at Visitor Center at Park. April 27, 08:00–14:30 h. Temperature 54°–63°F. No precipitation but overcast all day. Wind 5–10 mph, gusty on ridges.

Participants: Compiler Craig Standridge, Hanging Rock State Park, PO Box 278, Danbury, NC, 27016. Charles Buer, Linda Davis, Rebecca Deaton, Phil Dickinson, David Disher, Susan Disher, Sara Jo Durham, Henry Fansler, Karen Hildrith, Hop Hopkins, Judy Jordan, Margaret McJannett, Sean McLean, Ed Mulvey, Margaret Mulvey, Indira Santiago, Liz Schmid, Tom Schmid, David Shuford, Craig Standridge.

WSNC—Winston-Salem, NC. Center intersection of Silas Creek Parkway and Business I-40. May 4, 06:00–18:00 h. Temperature 59°–65°F with mild to heavy precipitation. Mild winds, variable 0–5 mph. Sky cloudy and rainy.

Participants: Compiler David Disher, 4145 Chatham Hill Dr., Winston-Salem, NC 27104. Kay Bergey, Pam Burke, Noel Bynum, Peg Cochrane, Doug DeNeve, Phil Dickinson, David Disher, Susan Disher, Gardner Gidley, Margaret Gidley, Bill Gifford, Billy J. Hammond, John Hammond, Susan Hammond, Patty Hauser, Bert Hollifield, Hop Hopkins, Royce Hough, Sheryl Jefferies, Lois Jones, Ray Kandt, Ellen Kirkman, Jim Martin, Jim May, Tom Mowbray, Ed Mulvey, Margaret Mulvey, Ann Newsome, Paul Powers, Mary Riddle, Ann Robertson, Chester Robertson, Liz Schmid, Robin Schmid, Tom Schmid, Jackie Shelton, Ramona Snavely, Sebastian Sommer, Jim Spencer, Bill Suggs, Karen Tally, Tom Tomlinson, Jeff Turner, Gray Tuttle, Abby Whitaker.

ICNC—Iredell County, NC. Center Chipley Ford Road Bridge at South Yadkin River. May 12, 06:30–18:00 h. Temperature 62°–82°F with no rain. Wind SSW 0–10 mph and sky cloudy to partly cloudy.

Participants: Compiler Sam Cathey, 130 Park Street, Statesville, NC 28677. Sam Cathey, Anne Davidson, Doug DeNeve, Pam DeNeve, Cynthia Dickerson, Lois Goforth, Thad Goforth, Jack Greene, Jay Greene, Lee Hollifield, Bo Howes, Larry Marlin, Marianne Murphy, Janice Powell, John

Robertson, Neal Scroggs, Allen Stanley, Garnet Underwood, Ron Underwood, Jonathan Worely.

JLNC–Jordan Lake, NC. Center at former crossing of New Hope River and Pea Ridge Rd. (Rt. 1700), now under water. May 5, 05:00–20:00 h. Temperature 56°–70°F with no precipitation. Wind light and variable to 10 mph, with the sky overcast all morning and clearing in the afternoon.

Participants: Compiler Norman Budnitz, 4114 Garrett Drive, Durham, NC. George Altshuller, Miao-Fang Altshuller, Allison Bailey, Brian Bockhahn, Mary Bratton, Barbara Brooks, Norman Budnitz, Peter Burke, Chris Canfield, Harold Carter, Bob Chase, Barbara Coffman, Patrick Coin, Bobbie Collins-Perry, Will Cook, Anson Cooke, Dwayne Cooke, Kate Finlayson, John Frederick, Jill Froning, Marty Girolami, Russell Herman, Judy Hinderliter Smith, Carl Hintz, Loren Hintz, Tom Howard, Katherine Kay, Betty King, Kate Krulia, Barbara Logue, Terry Logue, Phillip Manning, Melinda Meade, Kyle Mills, Mickey Mills, Robin Moran, Karen Morse, Douglas Pawlak, Shannon Pawlak, Rick Payne, Robert Perkins, Stephen Perry, Joshua Rose, Barbara Roth, Peggy Schultz, Douglas Shadwick, Mark Smith, Joshua Southern, Sterling Southern, Brian Strong, Trudy Talnor, Shelley Theye, Ginger Travis, Andy Upshaw, Margaret Vimmerstedt, Carol Williamson, Rouse Wilson, Jeremy Wrenn.

Compiler's comments: May 5 was a cool, mildly breezy day, overcast in the morning but clearing by the afternoon. Sixty observers in 26 parties counted 11,412 individuals (a new record) of 133 species (a bit over our average of 128), during 197 hours in the field (also a new high). The combination of this thorough coverage and the fact that many of our observers are repeaters familiar with the birds and their count areas has resulted in many new records.

Of the more unusual species, the 11 Willets top the list. They were seen by Patrick Coin, George and Miao-Fang Altshuller, Marty Girolami and Steve Perry—the first record for this species for this count! A Horned Grebe in breeding plumage was seen by Mark Smith and Brian Strong. Three parties reported Great Egrets—Harold Carter, Will Cook and Bobbie Collins-Perry, and Phil Manning and Rick Payne. Andy Upshaw and Rouse Wilson had an American Kestrel, and Norm Budnitz and Carol Williamson had a speeding Merlin. Several unusual duck species were reported—an American Black Duck by Sterling Southern, and 4 Ring-necked Ducks and 1 Bufflehead by Cook and Collins-Perry. Brian Bockhahn found 2 White-rumped Sandpipers. Budnitz and Williamson had a Laughing Gull sitting with a Ring-billed at the dam. A male Yellow-bellied Sapsucker was found by Loren Hints, Margaret Vimmerstedt and Carl Hintz. Katherine Kay and Robin Moran got a 30-second look at a Swainson's Warbler that unfortunately did not sing for them. Chris Canfield and Kate Finlayson had the opposite problem with a singing Gray-cheeked Thrush that would not let himself be seen.

RANC–Raleigh, NC Center at Wake County Farmer's Market on Lake Wheeler Road. May 11, 06:00–15:00 h. Temperature 60°–75°F with rain in

the morning. Wind 5–10mph. Sky overcast with intended showers and breezy in the morning, clearing in afternoon.

Participants: Compiler John Connors, 1227 Mordecai Drive, Raleigh, NC 27604; John Argentati, Larissa Bailey, Karen Bearden, Joe Bearden, Halbert Carmichael, Salinda Daley, Jorie Favreau, Nathan Favreau, John Finnegan, Lena Gallitano, Susan Gilbert, Lisa Gosselin, Diane Hardy, Anne Hicks, Vernon Janke, William Janke, Will Kimler, Jim Mulholland, Bob O'Brien, Mike Pollard, Laura Potter, Kevin Potter, Susan Rogers, Will Rowland, Harriet Sato, Roger Shaw, Clyde Smith, Julie Angerman-Stewart, Kendrick Weeks, Bob Winstead.

Compiler's comments: The weather was perfect, observers were enthusiastic but migration was slow. Migration was actually slow throughout the spring season, although a cold front arriving on May 13 provided the season's first weeklong fall-out, a day after our official count. I noted Blackpolls, Redstarts, Yellow Warblers and a Magnolia Warbler in my downtown Raleigh yard on the morning of the 13th, the first I had seen this year. Complaints that the count is too late to record migrants were not entirely warranted. We just need help and timing of the appropriate weather systems.

Great Blue Herons are rapidly expanding as breeding birds in our area. At Greenview Pond the colony has expanded from one nest ('99), to two nests ('00), to eight nests ('01), this year with over 20 young ready to fledge. In addition, single nests were found at Yates Mill Pond and along Crabtree Creek near the Buckeye Trail Greenway.

Northern Bobwhites were found at a number of sites where they have been absent for years. These included Schenk Forest, near the NCSU Vet School, at Lake Benson, and along the Neuse River Greenway by Milburnie Dam.

Cliff Swallows continue to nest along Crabtree Creek near the Buckeye Trail. This year there are two nests rather than one. Blue-headed Vireos apparently are nesting both at Umstead and Falls Lake State Parks. A Nashville Warbler was observed by Kendrick Weeks and Joe Pursley at Umstead State Park.

For the first time ever Field Sparrows were not recorded during our count! This is worrisome. Restoration of brush lands and meadow at Anderson Point and Greenview Pond over the next year hopefully will provide some much-needed habitat for this declining species.

MJNC–Mt. Jefferson, NC Center at 36°28'N, 81°27'W. May 11, 06:00–17:00 h. Temperature 55°–74°F with rain in the morning, heavy at times. Wind 5–15 mph with an overcast sky.

Participants: Compiler Vaughn Morrison, 262 Laurel Mountain Estates, Todd, NC 28684; John MacConnell, Beth Morrison, Merrill Lynch, Ida Lynch.

SMNC–Stone Mountain, NC Center at Traphill. May 11, 13:30–15:00 h. Temperature 52°–68°F with no precipitation. Wind NE–S 10–15 mph. Mostly cloudy skies.

Participants: Compiler John MacConnell, 2918 Silas Creek Road, Lansing, NC 28643; Kay Bergey, Pam Burke, Noel Bynum, Peg Cochrane, Doug DeNeve, Phil Dickinson, David Disher, Susan Disher, Gardner Gidley, Margaret Gidley, Bill Gifford, Billy J. Hammond, John Hammond, Susan Hammond, Hattie Hauser, Bert Hollifield, Hop Hopkins, Royce Hough, Sheryl Jefferies, Lois Jones, Ray Kandt, Jim Keighton, Ellen Kirkman, Jim Martin, Jim May, Tom Mowbray, Ed Mulvey, Margaret Mulvey, Ann Newsome, Paul Powers, Mary Riddle, Ann Robertson, Chester Robertson, Liz Schmid, Robin Schmid, Tom Schmid, Jackie Shelton, Ramona Snavely, Sebastian Sommer, Jim Spencer, Bill Suggs, Karen Tally, Tom Tomlinson, Jeff Turner, Gray Tuttle, Abby Whitaker

RVNC–Raven Rock State Park, NC. Center at junction of NC 210 and SR 1434. April 27, 05:30–17:30 h. Temperature 57°–77°F with trace of precipitation. Wind SE 0–16 mph. Cloudy skies in the morning, cloudy with showers in the evening.

Participants: Compiler Paul C. Hart, Raven Rock State Park, 3009 Raven Rock Road, Lillington, NC 27546; Karin Breiwitz, David Brown, John Bumgarner, Susan Bumgarner, Paul Hart, Scott Hartley, Tom Howard, Barry Jones, Bobby Lutfy, Kevin Reese, Mitch Reese, Susan Rogers, Larry Rose, Mary Stevens, Sarah Stevens, Erik Thomas.

Compiler's comments: The total of 123 species is a new record for the count, surpassing the record of 122 set in 1989 and tied in 2000. Seen during count week but not count day were Rose-breasted Grosbeak and Warbling Vireo. The vireo, the first known record for the park, was a singing male at the park superintendent's residence the morning after count day. About the only species that was likely in the count circle on count day but missed was American Woodcock. This year the Cape Fear River was covered by canoe from the park to Lillington, largely accounting for the good totals of species such as Osprey (14), Great Blue Heron (29) and Prothonotary Warbler (43). Encouragingly, Loggerhead Shrike numbers continue to grow, with a count high total of 27! The number of non-migratory Canada Geese continues to expand, with 151 counted. Not only are geese being seen on local farm ponds, but also they have now taken up residence on the Cape Fear River.

SPSC–Spartanburg, SC Center at junction of County Roads 539 and 590. May 11, 06:00–22:30 h. Temperature 63°–66°F. 0.01 inch precipitation. Wind NE 5.7–14.7 mph, with 80–90% cloud cover.

Participants: Compiler Lyle Campbell, 126 Greengate Lane, Spartanburg, SC 29307; Patrick Baldwin, Laura Bannon, Anna Brown, Tim Brown, Lyle Campbell, Sarah Campbell, Elaine Cheek, Matthew Coleman, Teresa Coleman, Tom Moore Craig, Glen Englehardt, Roy Fowler, Pat Fowler, Dennis Funk, Ron Gahagan, Onoosh Gahagan, Teresa Glen, John Green, Catherine Griffith, Lauren Griffith, Bennett Grizzard, Conway Henderson, Marvin Jackson, Connie Jenne, Ron Jenne, Herb Kay, Mickey Marotte, Mary Ann Myers, Mike Miller, Angela Miller, Jim Miller, Margaret Miller, Bill Moody, Nancy Owens, Ken Pearson, Lisa Pearson, Bob Powell, Sandra

Powell, Walton Scott, Ginny Scott, Mac Shealy, Laurel Sullivan, James West, Dan Wooten, Nancy Wooten

Compiler's comments: The Spartanburg Count this spring was marked by a strong front that came through two days before May 11, providing encouragement for all our migrants to move north. Consequently, our warbler count was very low. The county count of nightjars was also low, and we recorded no Wood-Pee-wee. On the other hand, we had some very odd birds, of which the Snowy Egret was the most notable. We had fewer field and feeder workers this year, meaning several normally productive areas were not covered.

Table 1. 2002 Spring Bird Count

| Species | BCNC | CPNC | DUNC | GRNC | HRSP | HCNC | ICNC | JLNC | MJNC | RANC | RVNC | SMNC | WSNC | SPSC | Total | Birds per Hundred Hours |
|--------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------------------------------|
| Canada Goose | 54 | 440 | 215 | 318 | | 205 | 78 | 151 | | 362 | 151 | | 243 | 32 | 2249 | 242.24 |
| Wood Duck | 8 | 77 | 16 | 34 | | 24 | 4 | 40 | 2 | 18 | 29 | | 21 | 7 | 280 | 30.16 |
| American Black Duck | | 1 | | | | | | 1 | | | | | | | 2 | 0.22 |
| Mallard | 51 | 111 | 51 | 218 | | 55 | 5 | 80 | 1 | 96 | 64 | | 65 | 29 | 826 | 88.97 |
| Mallard x Black Duck | | | | 1 | | | | | | | | | | | 1 | 0.11 |
| Blue-winged Teal | | | | | | 1 | | | | | | | | | 1 | 0.11 |
| Northern Pintail | | | | | | | | | | 2 | | | | | 2 | 0.22 |
| Ring-necked Duck | | | | | | | | 4 | | | | | | | 4 | 0.43 |
| Bufflehead | | | | | | | | 1 | | | | | | | 1 | 0.11 |
| Red-breasted Merganser | | | | | | | | | | 2 | | | 1 | | 3 | 0.32 |
| Ruddy Duck | | | | | | | | | | | | | 1 | | 1 | 0.11 |
| Ruffed Grouse | 1 | | | | | | | | | | | | | | 1 | 0.11 |
| Wild Turkey | 16 | 10 | 6 | 2 | 2 | 8 | 4 | 4 | 3 | | 4 | | | 11 | 70 | 7.54 |
| Northern Bobwhite | 7 | 3 | 4 | | | 17 | 8 | 17 | | | 13 | | 2 | 2 | 73 | 7.86 |
| Common Loon | | | | | | | | 1 | | | | | | 1 | 2 | 0.22 |
| Pied-billed Grebe | | | | 1 | | | | | | | 1 | | 2 | | 4 | 0.43 |
| Horned Grebe | | | | | | | | 1 | | | | | | | 1 | 0.11 |
| Double-crested Cormorant | 1 | 133 | 547 | 47 | | | | 538 | 1 | 41 | 28 | | 14 | 3 | 1353 | 145.73 |

| Species | BCNC | CPNC | DUNC | GRNC | HRSP | HCNC | ICNC | JLNC | MJNC | RANC | RVNC | SMNC | WSNC | SPSC | Total | Birds per Hundred Hours |
|----------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------------------------------|
| Great Blue Heron | 1 | 243 | 88 | 24 | | | 8 | 104 | 2 | 67 | 29 | | | 4 | 570 | 61.40 |
| Great Egret | | 10 | | 2 | | | | 8 | | | 4 | | 1 | | 25 | 2.69 |
| Snowy Egret | | | | | | | | | | | | | | 1 | 1 | 0.11 |
| Little Blue Heron | | | 1 | | | | | | | | | | 1 | | 2 | 0.22 |
| Cattle Egret | | | | | | | | | | | 1 | | | | 1 | 0.11 |
| Green Heron | 2 | 16 | 4 | 12 | | 7 | 6 | 14 | | 7 | 14 | | 8 | 2 | 92 | 9.91 |
| Black-crowned Night-Heron | | | | | | | 1 | | | | | | | | 1 | 0.11 |
| Yellow-crowned Night-Heron | | | | | | | | | | | | | 11 | 2 | 13 | 1.40 |
| Black Vulture | | 43 | 35 | 10 | 4 | 1 | 7 | 18 | 1 | 1 | 1 | | 4 | 31 | 156 | 16.80 |
| Turkey Vulture | 27 | 173 | 57 | 42 | 27 | 29 | 19 | 210 | 22 | 11 | 36 | 17 | 23 | 4 | 697 | 75.08 |
| Osprey | 1 | 11 | 11 | 1 | | | | 45 | | 1 | 14 | | * | 1 | 85 | 9.16 |
| Bald Eagle | | 11 | 1 | | | | | 31 | | 1 | 3 | | | | 47 | 5.06 |
| Northern Harrier | | | | | | | 1 | | | | 2 | | 1 | | 4 | 0.43 |
| Sharp-shinned Hawk | 2 | 4 | 3 | 3 | | | 1 | 3 | | | | | 1 | * | 17 | 1.83 |
| Cooper's Hawk | 1 | 4 | 4 | 2 | | 1 | 3 | 4 | 2 | 1 | 1 | | 3 | * | 26 | 2.80 |
| <i>Accipiter sp.</i> | | | 2 | | | | | | | | 1 | | | | 3 | 0.32 |
| Red-shouldered Hawk | 2 | 43 | 10 | 3 | | 1 | 7 | 40 | | 11 | 15 | | 6 | 2 | 140 | 15.08 |
| Broad-winged Hawk | 1 | 1 | 1 | 1 | | 3 | | | 1 | | 2 | | | | 10 | 1.08 |
| Red-tailed Hawk | 6 | 31 | 20 | 7 | 1 | 1 | 10 | 26 | 3 | 8 | 24 | 3 | 9 | 14 | 163 | 17.56 |
| American Kestrel | 3 | 1 | | | | 2 | | 1 | | 2 | 3 | | 1 | | 13 | 1.40 |
| Merlin | | | | | | | | 1 | | | | | | | 1 | 0.11 |

| Species | BCNC | CPNC | DUNC | GRNC | HRSP | HCNC | ICNC | JLNC | MJNC | RANC | RVNC | SMNC | WSNC | SPSC | Total | Birds per Hundred Hours |
|------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------------------------|
| American Coot | | | | 1 | | | | | | | | | | | 1 | 0.11 |
| Killdeer | | 54 | 14 | 17 | | 14 | 11 | 39 | 2 | 13 | 51 | | 16 | 10 | 241 | 25.96 |
| Greater Yellowlegs | | | | 2 | | 1 | | | | 2 | 1 | | | | 6 | 0.65 |
| Lesser Yellowlegs | 1 | | 1 | | | | | | | 3 | | | 3 | | 8 | 0.86 |
| Solitary Sandpiper | | 1 | 14 | 20 | | 5 | 2 | 16 | | 8 | 11 | | 21 | * | 98 | 10.56 |
| Willet | | | | | | | | 11 | | | | | | | 11 | 1.18 |
| Spotted Sandpiper | 10 | 23 | 12 | 41 | | 5 | 5 | 39 | 3 | 16 | 28 | | 21 | 3 | 206 | 22.19 |
| Semipalmated Sandpiper | | 2 | | | | | | | | 6 | | | | | 8 | 0.86 |
| Least Sandpiper | | | | 5 | | 4 | | 3 | | 13 | | | 15 | | 40 | 4.31 |
| White-rumped Sandpiper | | | | | | | | 2 | | | | | | | 2 | 0.22 |
| Wilson's Snipe | | | | | | | | | | | 1 | | | | 1 | 0.11 |
| Laughing Gull | | | | | | | | 1 | | | | | | | 1 | 0.11 |
| Bonaparte's Gull | | | | 13 | | | | | | | | | | | 13 | 1.40 |
| Ring-billed Gull | | 4 | 52 | 160 | | | | 206 | | 23 | | | 303 | | 748 | 80.57 |
| Caspian Tern | | 2 | 3 | | | | | 6 | | | | | 1 | | 12 | 1.29 |
| Forster's Tern | | 1 | | | | | | | | | | | | | 1 | 0.11 |
| Rock Pigeon | 3 | 68 | 59 | 15 | | 19 | 51 | 47 | 10 | 121 | 75 | | 47 | 6 | 521 | 56.12 |
| Mourning Dove | 127 | 393 | 130 | 151 | 7 | 117 | 98 | 259 | 13 | 111 | 277 | | 166 | 118 | 1967 | 211.87 |
| Black-billed Cuckoo | 1 | | | | | | 1 | | | | | | | | 2 | 0.22 |
| Yellow-billed Cuckoo | 3 | 16 | | * | | 2 | 5 | 13 | | 3 | 2 | | 2 | 1 | 47 | 5.06 |
| Eastern Screech-Owl | | 4 | | | | | | 1 | | | 2 | | 2 | * | 9 | 0.97 |

| Species | BCNC | CPNC | DUNC | GRNC | HRSP | HCNC | ICNC | JLNC | MJNC | RANC | RVNC | SMNC | WSNC | SPSC | Total | Birds per Hundred Hours |
|---------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------------------------|
| Great Horned Owl | | 7 | 1 | | | | 1 | 3 | | | 3 | | 2 | 1 | 18 | 1.94 |
| Barred Owl | 1 | 17 | 6 | 1 | | | 2 | 4 | 1 | 4 | 4 | | 4 | 1 | 45 | 4.85 |
| Common Nighthawk | | | | 1 | | | 3 | | | 1 | | | | 2 | 7 | 0.75 |
| Chuck-will's-widow | | | | | | | 3 | 5 | | 2 | 4 | | 1 | 2 | 17 | 1.83 |
| Whip-poor-will | | 29 | | | | | 1 | 28 | | | 3 | | | 4 | 65 | 7.00 |
| Chimney Swift | 80 | 255 | 88 | 33 | | 53 | 53 | 150 | 8 | 100 | 140 | | 54 | 60 | 1074 | 115.68 |
| Ruby-throated Hummingbird | 9 | 61 | 26 | 2 | | 4 | 15 | 25 | 7 | 16 | 13 | | 5 | 10 | 193 | 20.79 |
| Belted Kingfisher | 5 | 11 | 8 | 7 | | 9 | 7 | 11 | | 4 | 10 | | 10 | 2 | 84 | 9.05 |
| Red-headed Woodpecker | | 41 | 14 | 3 | | | 4 | 25 | | 5 | 5 | | 1 | 1 | 99 | 10.66 |
| Red-bellied Woodpecker | 30 | 240 | 52 | 60 | 8 | 23 | 35 | 170 | 4 | 73 | 77 | | 43 | 24 | 839 | 90.37 |
| Yellow-bellied Sapsucker | | | | | | | | 1 | | | | | | 2 | 3 | 0.32 |
| Downy Woodpecker | 12 | 102 | 21 | 18 | 1 | 7 | 12 | 54 | 4 | 21 | 20 | 2 | 14 | 16 | 304 | 32.74 |
| Hairy Woodpecker | 3 | 19 | 9 | 1 | 1 | | | 32 | 1 | 7 | 2 | 1 | 4 | 3 | 83 | 8.94 |
| Northern Flicker | 15 | 43 | 10 | 22 | 4 | 19 | 5 | 33 | 1 | 26 | 17 | | 33 | 7 | 235 | 25.31 |
| Pileated Woodpecker | 13 | 33 | 5 | 2 | 5 | 15 | 8 | 21 | 2 | 6 | 17 | | 1 | 8 | 136 | 14.65 |
| Eastern Wood-Pewee | 29 | 85 | 4 | 5 | 1 | 10 | 7 | 32 | 1 | 11 | 16 | | 3 | | 204 | 21.97 |
| Acadian Flycatcher | 10 | 64 | 3 | 3 | | 8 | 3 | 22 | 2 | 19 | 24 | | 1 | 3 | 162 | 17.45 |
| Alder Flycatcher | | | | | | | | | | 1 | | | | | 1 | 0.11 |
| Willow Flycatcher | | | | | | 16 | | | 2 | | | | | | 18 | 1.94 |
| Least Flycatcher | | | | | | | | | 1 | | | | | | 1 | 0.11 |
| Eastern Phoebe | 46 | 82 | 25 | 14 | 1 | 34 | 33 | 56 | 8 | 12 | 29 | 3 | 24 | 28 | 395 | 42.55 |

| Species | BCNC | CPNC | DUNC | GRNC | HRSP | HCNC | ICNC | JLNC | MJNC | RANC | RVNC | SMNC | WSNC | SPSC | Total | Birds per Hundred Hours |
|-------------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------------------------------|
| Great Crested Flycatcher | 8 | 76 | 27 | 22 | 14 | 7 | 12 | 110 | 1 | 47 | 89 | 1 | 25 | 2 | 441 | 47.50 |
| Eastern Kingbird | 9 | 57 | 23 | 9 | | 12 | 15 | 85 | 8 | 17 | 54 | | 13 | 14 | 316 | 34.04 |
| Loggerhead Shrike | | | | | | | 2 | | | 1 | 27 | | | | 30 | 3.23 |
| White-eyed Vireo | 4 | 52 | 30 | 2 | 2 | 19 | 13 | 53 | 3 | 18 | 30 | | 3 | | 229 | 24.67 |
| Yellow-throated Vireo | 6 | 25 | 14 | 1 | 1 | 5 | 1 | 16 | 1 | 4 | 6 | | | | 80 | 8.62 |
| Blue-headed Vireo | 27 | 13 | 2 | 3 | 10 | 13 | | 16 | 6 | 2 | 1 | 1 | | | 94 | 10.12 |
| Warbling Vireo | 3 | | | | | | | | | | * | | | | 3 | 0.32 |
| Philadelphia Vireo | | | | | | | | | | | | | 1 | | 1 | 0.11 |
| Red-eyed Vireo | 128 | 339 | 142 | 53 | 34 | 84 | 40 | 280 | 28 | 51 | 105 | 5 | 44 | 9 | 1342 | 144.55 |
| Blue Jay | 70 | 239 | 70 | 80 | 19 | 77 | 53 | 166 | 5 | 52 | 101 | 2 | 74 | 81 | 1089 | 117.30 |
| American Crow | 196 | 414 | 114 | 167 | 24 | 153 | 93 | 442 | 65 | 113 | 225 | 6 | 140 | 111 | 2263 | 243.75 |
| Fish Crow | | 55 | 17 | 24 | | | | 16 | | 18 | 17 | | 6 | | 153 | 16.48 |
| Common Raven | | | | * | | 3 | | | 2 | | | 1 | 3 | | 9 | 0.97 |
| Horned Lark | | | | | | | | | | | 4 | | | | 4 | 0.43 |
| Purple Martin | 1 | 49 | 26 | 291 | | 5 | 58 | 54 | | 22 | 60 | | 19 | 25 | 610 | 65.70 |
| Tree Swallow | 28 | 6 | 21 | 56 | | 10 | | 31 | 14 | 1 | 2 | | 1 | | 170 | 18.31 |
| Northern Rough-winged Swallow | 16 | 40 | 10 | 75 | | 27 | 2 | 53 | 12 | 22 | 26 | | 62 | | 345 | 37.16 |
| Bank Swallow | | | | 1 | | | | 33 | | | 1 | | | 4 | 39 | 4.20 |
| Cliff Swallow | | 2 | 48 | 11 | | | | 184 | | | | | 75 | | 320 | 34.47 |
| Barn Swallow | 31 | 95 | 84 | 233 | 1 | 78 | 96 | 305 | 27 | 67 | 116 | | 139 | 18 | 1290 | 138.95 |

| Species | BCNC | CPNC | DUNC | GRNC | HRSP | HCNC | ICNC | JLNC | MJNC | RANC | RVNC | SMNC | WSNC | SPSC | Total | Birds per Hundred Hours |
|-------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------------------------------|
| Carolina Chickadee | 71 | 482 | 95 | 88 | 30 | 85 | 42 | 310 | 4 | 91 | 94 | | 65 | 57 | 1514 | 163.08 |
| Tufted Titmouse | 78 | 512 | 119 | 92 | 25 | 49 | 69 | 352 | 10 | 94 | 107 | 6 | 71 | 59 | 1643 | 176.97 |
| Red-breasted Nuthatch | 4 | | | | 5 | | | | | | 1 | | | | 10 | 1.08 |
| White-breasted Nuthatch | 8 | 75 | 10 | 9 | 10 | 3 | 9 | 22 | 5 | 16 | 4 | | 21 | 7 | 199 | 21.43 |
| Brown-headed Nuthatch | 1 | 97 | 33 | 22 | | | 9 | 93 | | 21 | 18 | | 16 | 18 | 328 | 35.33 |
| Brown Creeper | | | | | | | 1 | | | | | | | | 1 | 0.11 |
| Carolina Wren | 49 | 447 | 117 | 101 | 23 | 92 | 31 | 290 | 10 | 126 | 123 | 1 | 82 | 43 | 1535 | 165.34 |
| House Wren | 21 | 35 | 16 | 9 | | 10 | 6 | 9 | 6 | 5 | 4 | | 14 | 4 | 139 | 14.97 |
| Winter Wren | 5 | | | | | | | | | | | | | | 5 | 0.54 |
| Sedge Wren | | | | | | 1 | | | | | | | | | 1 | 0.11 |
| Golden-crowned Kinglet | 7 | | | | 1 | | | | | | | | | | 8 | 0.86 |
| Ruby-crowned Kinglet | | | 9 | 12 | 6 | | | 6 | 1 | | 7 | | 7 | | 48 | 5.17 |
| Blue-gray Gnatcatcher | 22 | 477 | 212 | 32 | 6 | 16 | 20 | 257 | 2 | 67 | 90 | | 14 | 11 | 1226 | 132.06 |
| Eastern Bluebird | 51 | 285 | 99 | 103 | 1 | 44 | 105 | 259 | 8 | 45 | 160 | | 61 | 73 | 1294 | 139.38 |
| Veery | 7 | | | 5 | | | 3 | | 2 | 3 | 1 | | 10 | | 31 | 3.34 |
| Gray-cheeked Thrush | | | | | | | | 1 | | | | | 2 | | 3 | 0.32 |
| Swainson's Thrush | 1 | 4 | | 13 | | 3 | 3 | 2 | | 1 | | | 36 | | 63 | 6.79 |
| Hermit Thrush | 1 | | | 2 | | | | | | | 4 | | * | | 7 | 0.75 |
| Wood Thrush | 38 | 160 | 32 | 51 | 4 | 31 | 20 | 72 | 8 | 12 | 36 | 2 | 37 | 7 | 510 | 54.93 |
| American Robin | 151 | 418 | 175 | 442 | | 177 | 152 | 104 | 40 | 169 | 134 | 4 | 380 | 156 | 2502 | 269.50 |
| Gray Catbird | 18 | 86 | 62 | 73 | 1 | 23 | 29 | 62 | 25 | 17 | 40 | 1 | 68 | 17 | 522 | 56.23 |

| Species | BCNC | CPNC | DUNC | GRNC | HRSP | HCNC | ICNC | JLNC | MJNC | RANC | RVNC | SMNC | WSNC | SPSC | Total | Birds per Hundred Hours |
|------------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------------------------------|
| Northern Mockingbird | 58 | 291 | 73 | 103 | | 66 | 79 | 139 | 5 | 49 | 153 | | 60 | 85 | 1161 | 125.05 |
| Brown Thrasher | 20 | 144 | 37 | 29 | 1 | 36 | 33 | 97 | 2 | 28 | 67 | | 36 | 37 | 567 | 61.07 |
| European Starling | 229 | 328 | 186 | 362 | | 214 | 149 | 144 | 40 | 71 | 412 | 2 | 577 | 119 | 2833 | 305.15 |
| American Pipit | | | 3 | | | | | | | | | | 1 | | 4 | 0.43 |
| Cedar Waxwing | 270 | 177 | 17 | 248 | | 214 | 231 | 116 | 9 | 41 | 71 | | 140 | 28 | 1562 | 168.25 |
| Blue-winged Warbler | | | | 1 | | | | | | | | | | | 1 | 0.11 |
| Tennessee Warbler | | | | | 3 | | | | | | | 1 | | | 4 | 0.43 |
| Northern Parula | 9 | 98 | 40 | 28 | 3 | 14 | 8 | 93 | 1 | 17 | 26 | | 18 | * | 355 | 38.24 |
| Yellow Warbler | 16 | 14 | 17 | 14 | | 12 | 1 | 7 | 10 | 5 | 6 | 1 | 15 | | 118 | 12.71 |
| Chestnut-sided Warbler | 31 | | | 7 | | 19 | 2 | 3 | 6 | | | | 9 | | 77 | 8.29 |
| Magnolia Warbler | | 3 | | 3 | 1 | 1 | 2 | 4 | 1 | | | 2 | 5 | | 22 | 2.37 |
| Cape May Warbler | | | | 1 | | 2 | | | | | | | 1 | | 4 | 0.43 |
| Black-throated Blue Warbler | 38 | 39 | 8 | 47 | 18 | 3 | 3 | 57 | 2 | 6 | 7 | 1 | 31 | * | 260 | 28.01 |
| Yellow-rumped Warbler | 2 | 46 | 140 | 209 | 56 | 12 | 15 | 253 | 1 | 6 | 170 | | 102 | * | 1012 | 109.00 |
| Black-throated Green Warbler | 20 | 3 | 1 | 3 | 19 | 19 | | 6 | 1 | | | | 14 | | 86 | 9.26 |
| Blackburnian Warbler | 28 | | | | 3 | 1 | | | | 1 | | | | | 33 | 3.55 |
| Yellow-throated Warbler | 5 | 28 | 15 | | | 5 | 3 | 72 | | 5 | 29 | | 3 | | 165 | 17.77 |
| Pine Warbler | 1 | 272 | 57 | 29 | 18 | 3 | 7 | 335 | | 26 | 29 | | 9 | 13 | 799 | 86.06 |
| Prairie Warbler | | 33 | 36 | 1 | | | 2 | 117 | | 2 | 38 | | 1 | | 230 | 24.77 |
| Palm Warbler | | 1 | 14 | 1 | | | | 2 | | | 2 | | 9 | 3 | 32 | 3.45 |

| Species | BCNC | CPNC | DUNC | GRNC | HRSP | HCNC | ICNC | JLNC | MJNC | RANC | RVNC | SMNC | WSNC | SPSC | Total | Birds per Hundred Hours |
|-------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------------------------------|
| Bay-breasted Warbler | | 3 | | | | 1 | | | | | | | 1 | | 5 | 0.54 |
| Blackpoll Warbler | 17 | 20 | | 3 | | 2 | 1 | 16 | 1 | 2 | | | 3 | 1 | 66 | 7.11 |
| Cerulean Warbler | 16 | | | | | 1 | | | | | | | | | 17 | 1.83 |
| Black-and-white Warbler | 47 | 32 | 5 | 13 | 14 | 19 | 4 | 58 | 7 | 4 | 30 | 1 | 10 | | 244 | 26.28 |
| American Redstart | 24 | 83 | 19 | 11 | 2 | 31 | 8 | 40 | 4 | 13 | 39 | | 6 | * | 280 | 30.16 |
| Prothonotary Warbler | | 47 | 23 | | | 1 | | 21 | | 3 | 43 | | 3 | | 141 | 15.19 |
| Worm-eating Warbler | 14 | 1 | 2 | 3 | 18 | 6 | | 1 | | | | | 1 | | 46 | 4.95 |
| Swainson's Warbler | | 1 | | | | | | 1 | | | 1 | | | | 3 | 0.32 |
| Ovenbird | 88 | 138 | 45 | 23 | 17 | 30 | 1 | 234 | 3 | 14 | 36 | 7 | 3 | | 639 | 68.83 |
| Northern Waterthrush | | 14 | 10 | 1 | | 11 | | 4 | 1 | | 7 | | 4 | | 52 | 5.60 |
| Louisiana Waterthrush | | 30 | 10 | 1 | 1 | 1 | 2 | 12 | 1 | 6 | 22 | 1 | | * | 87 | 9.37 |
| Kentucky Warbler | 4 | 3 | 1 | | | 2 | 1 | 3 | 4 | | 5 | | 1 | | 24 | 2.59 |
| Common Yellowthroat | 10 | 149 | 98 | 45 | | 46 | 8 | 143 | 9 | 62 | 52 | | 28 | 4 | 654 | 70.44 |
| Hooded Warbler | 53 | 70 | 3 | 3 | 49 | 38 | | 62 | 12 | 4 | 25 | 1 | 8 | | 328 | 35.33 |
| Wilson's Warbler | | | | | | | | | | | | | 1 | | 1 | 0.11 |
| Canada Warbler | 20 | | | 1 | | 1 | | | 3 | | | | 1 | | 26 | 2.80 |
| Yellow-breasted Chat | | 57 | 46 | 8 | | 14 | 11 | 75 | | 7 | 33 | | 1 | 3 | 255 | 27.47 |
| Summer Tanager | | 106 | 10 | 4 | | | 4 | 138 | | 21 | 30 | | | 3 | 316 | 34.04 |
| Scarlet Tanager | 35 | 67 | 12 | 13 | 5 | 25 | 7 | 74 | 16 | 9 | 17 | 2 | 26 | 1 | 309 | 33.28 |
| Eastern Towhee | 112 | 361 | 102 | 88 | 18 | 154 | 40 | 198 | 21 | 59 | 63 | 6 | 87 | 26 | 1335 | 143.80 |
| Chipping Sparrow | 31 | 275 | 87 | 40 | 4 | 16 | 34 | 218 | 5 | 6 | 142 | | 47 | 11 | 916 | 98.66 |

| Species | BCNC | CPNC | DUNC | GRNC | HRSP | HCNC | ICNC | JLNC | MJNC | RANC | RVNC | SMNC | WSNC | SPSC | Total | Birds per Hundred Hours |
|------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------------------------------|
| Field Sparrow | 9 | 26 | 34 | 22 | | 50 | 30 | 36 | 9 | 3 | 37 | 2 | 9 | 9 | 276 | 29.73 |
| Savannah Sparrow | | | 14 | 14 | | | | 5 | 1 | 1 | 52 | | 9 | | 96 | 10.34 |
| Grasshopper Sparrow | 1 | 7 | 1 | | | 4 | 21 | | 1 | 1 | 2 | | 3 | | 41 | 4.42 |
| Song Sparrow | 195 | 29 | 21 | 57 | | 191 | 19 | 6 | 25 | 3 | | | 48 | 10 | 604 | 65.06 |
| Swamp Sparrow | | 3 | 17 | | | | | 4 | | | 5 | | 2 | | 31 | 3.34 |
| White-throated Sparrow | 2 | 14 | 94 | 45 | 5 | 2 | 1 | 45 | | 1 | 99 | | 40 | 13 | 361 | 38.88 |
| White-crowned Sparrow | 1 | | 8 | 4 | | 1 | | | | | | | 1 | | 15 | 1.62 |
| Dark-eyed Junco | 32 | | 1 | | 1 | 2 | | | 14 | | | 2 | | * | 52 | 5.60 |
| Northern Cardinal | 126 | 1001 | 212 | 239 | 29 | 98 | 112 | 432 | 12 | 201 | 190 | | 178 | 91 | 2921 | 314.63 |
| Rose-breasted Grosbeak | 14 | 3 | | 7 | | | | 18 | 15 | 2 | * | | 17 | 9 | 85 | 9.16 |
| Blue Grosbeak | | 49 | 26 | 9 | | 5 | 22 | 94 | | 19 | 31 | | 4 | 4 | 263 | 28.33 |
| Indigo Bunting | 164 | 278 | 116 | 35 | 4 | 152 | 46 | 264 | 10 | 37 | 61 | 4 | 38 | 15 | 1224 | 131.84 |
| Bobolink | 52 | | | 129 | | | 1 | 155 | 1 | | 82 | | 5 | | 425 | 45.78 |
| Red-winged Blackbird | 116 | 125 | 97 | 78 | | 61 | 36 | 131 | 40 | 72 | 110 | | 70 | 29 | 965 | 103.94 |
| Eastern Meadowlark | 15 | 27 | 16 | 9 | | 23 | 75 | 55 | 5 | 4 | 67 | | 22 | 10 | 328 | 35.33 |
| Rusty Blackbird | | | 1 | | | | | | | | | | | | 1 | 0.11 |
| Common Grackle | 73 | 390 | 462 | 485 | | 103 | 218 | 367 | 20 | 199 | 363 | | 283 | 100 | 3063 | 329.92 |
| Brown-headed Cowbird | 19 | 161 | 91 | 50 | | 13 | 18 | 187 | 3 | 35 | 110 | 2 | 34 | 30 | 753 | 81.11 |
| Orchard Oriole | 7 | 31 | 28 | 13 | | 4 | 4 | 55 | 5 | 6 | 20 | | 6 | 2 | 181 | 19.50 |
| Baltimore Oriole | 9 | 1 | | 6 | | 1 | 1 | | 6 | 2 | 1 | | 18 | 1 | 46 | 4.95 |
| Purple Finch | | | | | | | 2 | | | | | | 11 | 9 | 22 | 2.37 |

| Species | BCNC | CPNC | DUNC | GRNC | HRSP | HCNC | ICNC | JLNC | MLNC | RANC | RVNC | SMNC | WSNC | SPSC | Total | Birds per Hundred Hours |
|--------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|-------------------------------|
| House Finch | 69 | 394 | 62 | 73 | | 80 | 49 | 117 | 6 | 65 | 71 | | 79 | 66 | 1131 | 121.82 |
| Pine Siskin | 13 | | | * | | 12 | | | 6 | | | | | | 31 | 3.34 |
| American Goldfinch | 102 | 556 | 232 | 410 | 3 | 127 | 102 | 390 | 78 | 99 | 88 | 1 | 421 | 63 | 2672 | 287.81 |
| House Sparrow | 15 | 110 | 75 | 26 | | 9 | 39 | 42 | 20 | 32 | 106 | | 17 | 10 | 501 | 53.96 |
| No. of species | 111 | 122 | 115 | 121 | 54 | 110 | 106 | 133 | 94 | 113 | 122 | 32 | 131 | 87 | 188 | |
| No. of individuals | 3874 | 13702 | 5965 | 6461 | 571 | 3705 | 2863 | 11487 | 843 | 3609 | 6009 | 92 | 5281 | 1979 | 66441 | 7157 |
| Total field hours | 46.05 | 190.4 | 61.5 | 83.25 | 25 | 46 | 38.5 | 197.25 | 20 | 65 | 60.75 | 1.5 | 101.25 | 38 | 928.4 | |
| Hours on foot | 15 | 132.8 | 52 | 58 | 25 | 28.75 | 18.5 | 141.75 | 13 | 55.5 | 29.25 | 0 | 79.75 | 31 | 665.3 | |
| Hours by car | 31.05 | 51.1 | 8 | 25.25 | 0 | 17.25 | 20 | 46 | 7 | 9.5 | 26 | 1.5 | 21.5 | 7 | 240.1 | |
| Hours by bike | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | |
| Hours by boat | 0 | 6.5 | 0 | 0 | 0 | 0 | 0 | 7.5 | 0 | 0 | 5.5 | 0 | 0 | 0 | 19.5 | |
| Hours owling | 0 | 3.75 | 1.5 | 0 | 0 | 0 | 0 | 4.5 | 0 | 2 | 1.25 | 0 | 3 | 2.5 | 18.5 | |
| Total field miles | 309 | 435 | 120.75 | 294 | 16.8 | 179.25 | 229.6 | 379.5 | 117 | 125 | 366 | 25 | 282.25 | 139 | 2709.15 | |
| Miles on foot | 13 | 114.5 | 36.5 | 36.5 | 16.8 | 21.75 | 13.3 | 112 | 7 | 47 | 21 | 0 | 40.25 | 19 | 485.6 | |
| Miles by car | 296 | 315 | 84.25 | 257.5 | 0 | 157.5 | 216.3 | 256.5 | 110 | 78 | 337 | 25 | 240 | 129 | 2206.05 | |
| Miles by bike | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | |
| Miles by boat | 0 | 5.5 | 0 | 0 | 0 | 0 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 11.5 | |
| Miles owling | 0 | 5 | 1 | 0 | 0 | 0 | 0 | 14.25 | 0 | 10 | 0.5 | 0 | 3 | 25.5 | 59.25 | |
| Date | 12 May | 12 May | 28 Apr | 04 May | 27 Apr | 11 May | 12 May | 05 May | 11 May | 11 May | 27 Apr | 11 May | 04 May | 11 May | | |