2012 Spring Bird Counts in South Carolina

Lois Stacey

418 Deepwood Pl., North Augusta, SC, 29841 croakie@comcast.net

The South Carolina spring migration counts yielded some nice totals and unusual birds this year, with a total count of 221 species. Seven Blackbellied Whistling-Ducks were recorded—five of them inland at Aiken County where this species seems to be settled and increasing. Overall 11 species of ducks were recorded statewide including Northern Shoveler, Ruddy Duck and Common Merganser. 28 species of warblers were counted throughout the state, as were seven species of flycatchers. Both American and Least Bitterns were still in the state as well. A Purple Gallinule at Charleston was a great find.

Counts were held in 8 counties this spring, and 166 birders participated.

Compiler's Comments

Aiken

Coordinator: Anne Waters

1621 Apple Valley Drive, Augusta, GA 30906

Participants: Carol Eldridge, Larry Eldridge, Judy Gregory, Paul

Koehler, Debbie LaBerge, Lois Stacey, Mark Vukovich, Alice Walker, Douglas Walker, Anne Waters, Eugene

Zielinski, Calvin Zippler

No compiler's comments.

Spartanburg

Coordinator: Lyle Campbell

126 Greengate Lane, Spartanburg, SC 29307

Participants: Doug Allen, Carole Anderson, Susan Bennett, Tim Brown,

Dan Bryant, Lewanna Caldwell, Lyle Campbell, Sarah Campbell, Alan Chalmers, Dan Codispoti, John Edmunds, Judy Edmunds, Ed Elam, Kathleen Elam, Roy Fowler, Pat Fowler, Onoosh Gahagan, Ron Gahagan, Sally Hitchmough, Frank Hull, Phyllis Hull, Jack Jennings, Herb Kay, Jeanette Keepers, Barry Long, Megan McCartney, Moss Miller, Nora Moore, Bill Myers, Mary Ann Myers, Glen Peterson, Eva Pratt, Sam Pratt, Doug Rayner, Bob Scott, Leslie Scott, Ann Marie Sullivan, Kristen Taylor,

Gerald Thurmond, Dan Wootton, Nancy Wootton

Spartanburg County presently has at least two active eagle nests. We had 14 warbler species, and a very good count of 27 Northern Bobwhite. Two field parties located Horned Lark. We found lingering Red-breasted

Nuthatch, and a high number of 940 Cliff Swallows, the majority nesting under the bridges of Lake Blalock.

Cherokee

Coordinator: Lyle Campbell

126 Greengate Lane, Spartanburg, SC 29307

Participants: Claude Cobb, Karla Lavender, J. B. Hines, Maxi Nix

Kestrel and Horned Lark were our best birds.

Lexington

Coordinator: Patricia Voelker

208 Garden Arbor Dr. Lexington, SC 29072

Participants: Lewis Burke, Jessica Porter, Patricia Voelker

No compiler's comments.

Congaree

Coordinator: John Grego

Participants: Steve Dennis, John Grego, Jamie Howard, Laura

McCormick, Kathleen O'Grady, Donna Slyce, Travis

Vaughn, 25 Dawn Chorus participants

On May 6, Congaree National Park and Friends of Congaree Swamp sponsored a Dawn Chorus led by Donna Slyce on International Dawn Chorus Day. The Dawn Chorus event was supplemented by a morning hike to Buckhead Island in the park's eastern end, along with a couple short trips to upland sites. Few migrants were found and some species were missed due to lack of coverage. Highlights included a good variety of wading birds at the slough on Buckhead Island, a good count of Swainson's Warbler at Buckhead Island, breeding Louisiana Waterthrush at Bannister Bridge, Green Heron near the Longleaf Campground, and a Black-throated Green Warbler heard during Dawn Chorus.

Greenville

Coordinator: J. B. Hines

5258 Chesnee Hwy Chesnee, SC 29323

Participants: Jerry Johnson, Brad Dalton, Harold Carter, Donnie Coody,

Shelby Birch, Jane Kramer, Matt Johnson, Rhonda Dodson, Len Kopka, Chip Gilbert, Sara Gilbert, Pamela, Derek Aldrich, Dorothy Graves, Glennis Graves, Doug

Allen, Judy Webb, Charles Webb

Greenville County's 2012 Spring Migration Count was held on Saturday, April 28. Weather conditions were ideal with a low of 61°F and high of 68°F under mostly clear skies and light wind. Participation was good with 10 parties and 18 participants in the field. We did not have any stationary (hawk watch) or feeder watchers this year.

The club found 129 species (new record) and 4509 individuals. I think the record high count was due primarily to timing since the peak of spring migration in upstate SC occurs around the last five days in April through the

first five days in May. Other factors can impact the count totals as well (i.e. weather, number of participants, etc.).

The Scissor-tailed Flycatchers returned again this year in time for the spring count. Other notable birds were American Bittern (1), Wilson's Snipe (1, new for count), Blue-winged Warbler (1), Orange-crowned Warbler (1, new for count, and unusual in spring), Swainson's Warbler (4, all on Blue Wall Trail), Blackburnian Warbler (2, new for count) and White-crowned Sparrow (5, somewhat late).

Charleston

Coordinator: Andy Harrison

35 Cross Creek Drive, Apt P-7, Charleston, SC 29412

Participants: Ann Ashby, Clint Ball, Kennedy Ball, Matt Bruce, Trey

Bruce, Sallie Campbell, Cornelia Carrier, Allan Cartwright, George Cromartie, Jim Cubie, Doreen Cubie, Hal Currey, Chris Davies, Bob Drew, Connie Drew, Judy Fairchild, Ted Fairchild, Cindy Floyd, Aaron Given, Andy Harrison, Richard Hayes, Starr Hazard, Nedra Hecker, Don Jones, Lois Jones, Mary Kennerty, Tom Lannen, Pete Laurie, Mary-Catherine Martin, Keith McCullough, David McLean, Jr., Cathy Miller, Ann Shahid, Chris Snook, Bill Sullivan, Mary Kay Sullivan, Joel Thompson, Ann Truesdale, Jen Tyrrell, Julie Vann, Zach Vann, Craig Watson, John Weinstein, Lori Sheridan Wilson, Carl Miller, Paul Nolan, Perry Nugent, Melinda Nutter, Patty

Pascal, Allen Russell, Peggy Schachte

The 2012 Charleston Spring Bird Count was held on May 6, 2012. There were 51 participants divided into 17 parties, who tallied 103.1 hours in the field. Conditions throughout the day were warm and fairly pleasant, ranging from partly cloudy in the morning to mostly cloudy in the afternoon with a few very brief showers. We observed 157 total species and 13,427 individuals (for a bird/party hour average of 130.2).

These species and individual totals far surpassed our results in 2011 (141 and 9334, respectively), as well as the 2006–11 six-year averages (145.8 and 8116.7). For the fourth year in a row Dewees Island was the area with the highest species total (92), although the Intracoastal Waterway party observed more individuals than any other (3137). However, a number of areas reported above-average results, and every area had at least one species exclusive. Some of the highlights of this year's count included the following:

On Bulls Island, the South Bulls party (leader David McLean and Starr Hazard) reported 2 Least Bitterns (3 and 1 also reported from North Bulls and Dewees Island, respectively), 4 Black Terns, 1 Swallow-tailed Kite (one of four observed on the count) and 2 Common Nighthawks (3 also seen on Dewees Island). Mary-Catherine Martin birded solo in the North Bulls area, and she observed 64 Mottled Ducks (25 also reported from South Bulls and 7 on Dewees Island), 2 Soras, 8 White-rumped Sandpipers, 1 Savannah Sparrow, and 12 Bobolinks. The Capers Island party (leader Hal Currey,

Chris Davies, Richard Hayes, and Margaret Schachte) reported 1 Horned Grebe in breeding plumage, 1 Bufflehead, 1 Marbled Godwit (1 also reported by the Sewee Road party), 30 Red Knots, 1 Cliff Swallow, and 1 Seaside Sparrow.

In Cainhoy, Andy Harrison and his party (George Cromartie and Ann Truesdale) observed 3 Pied-billed Grebes, 1 Northern Bobwhite, 2 Redcockaded Woodpeckers (1 also reported in I'on Swamp), 3 Yellow-breasted Chats, and 6 Bachman's Sparrows (4 also reported in I'on Swamp). The Sewee Road party (leader Jen Tyrrell, Cornelia Carrier, and Jim and Doreen Cubie) reported 31 Wood Storks (27 others reported from various areas), 1 Swallow-tailed Kite, 1 Merlin, 1 Peregrine Falcon (1 also observed by the Intracoastal Waterway party), and 1 Purple Gallinule. In the pre-dawn hours, Perry Nugent and his group in I'on Swamp (Allen Russell and Joel Thompson) recorded 5 Eastern Screech Owls, 15 Barred Owls and 10 Chuck-will's-widows (4 also reported on Dewees Island). During the regular count they observed 2 Yellow-crowned Night-Herons, 43 Wild Turkeys (3 adults and 40 young; 2 turkeys each were also reported in the Sewee Road and Guerins Bridge Road areas), 2 Yellow-throated Vireos, 2 Worm-eating Warblers, 1 Swainson's Warbler, and 20 Kentucky Warblers (1 also heard in Cainhoy). Craig Watson and the Porchers Bluff party (Allan Cartwright, Nedra Hecker and Patty Pascal) reported 5 Common Terns (2 each also observed on Capers and on Dewees Island), 2 Ruby-throated Hummingbirds (1 each also observed in Cainhoy and on Dewees Island), 1 White-breasted Nuthatch, and 2 well-described Nelson's Sparrows.

The Guerins Bridge Road party (leader Don Jones, Matt Bruce, Lois Jones, Mary Kennerty and Tom Lannen) observed 6 Solitary Sandpipers (1 and 2 also reported from South and North Bulls, respectively), 6 Loggerhead Shrikes, and 1 Chipping Sparrow. In the Airport area, Paul Nolan and his group (Ann Ashby and John Weinstein) reported 6 Mallards, 4 Killdeer (1 also observed on Dewees Island), and 1 American Robin. On the Intracoastal Waterway, Clint Ball and his party (Kennedy Ball, Trey Bruce and Keith McCullough) observed 3 adult Bald Eagles (2 adults and 1 immature bird also reported on Dewees Island), 1 Peregrine Falcon, 1 Piping Plover (1 also observed on Dewees Island), 59 American Oystercatchers (20 others reported from various areas), and 1 Northern Rough-winged Swallow.

Last but certainly not least, Dewees Island (leader Cathy Miller, Sallie Campbell, Bob and Connie Drew, Judy and Ted Fairchild, Cindy Floyd, Aaron Given, Pete Laurie, Carl Miller, Melinda Nutter, Ann Shahid, Chris Snook, Bill and Mary Kay Sullivan, Julie and Zach Vann, and Lori Sheridan Wilson) was the site of the most unusual observation of the count. Early in the morning Chris Snook observed a flyover Common Merganser near the south end of Dewees. Common Mergansers are rare winter visitors to the coastal plain of the Carolinas and are seldom reported here after March. However, Chris provided good details on the sighting and convincing responses to follow-up questions. Common Mergansers have previously been reported on at least one Charleston Spring Count (two were recorded in

1993—single individuals in the Guerins Bridge Road and I'on Swamp areas). In addition to the Common Merganser, Cathy and her field parties recorded 2 Swallow-tailed Kites, 10 Wilson's Plovers (1 and 3 also reported from Capers and South Bulls, respectively), 4 Common Ground-Doves, 1 Black-throated Blue Warbler, 1 Blackpoll Warbler, and 2 American Redstarts.

Our excellent results this year can probably be attributed to a number of factors, including more eyes in the field (51 is the highest number of participants on a Spring Count since I started compiling in 2006), favorable migration conditions across the Southeast during the period (as reported on the eBird website, http://ebird.org/content/ebird/news/bcr20120511), and good local conditions for observing shorebirds. (For example, on Capers Island the impoundment water levels had been lowered by SC DNR.) In fact we observed above-average numbers for many seabird and shorebird species: e.g., 319 Royal Terns (six-year average of 210.5), 259 Sandwich Terns (31.3), 378 Forster's Terns (77.5), 527 Black-bellied Plovers (91.8), 2345 Semipalmated Plovers (436.5), 176 Willets (62), 235 Spotted Sandpipers (56.8), 193 Ruddy Turnstones (25.7), 172 Least Sandpipers (34.5), and 1265 Short-billed Dowitchers (132.2). No clear trends were apparent for individual totals in most other groups. Among the swallows, for example, we observed 108 Purple Martins (32.8) but only 1 Northern Rough-winged Swallow (41.3). Species that were observed this year but had not been recorded during the 2006-11 Spring Counts included: Common Merganser, Purple Gallinule, Cliff Swallow, and Nelson's Sparrow. We continued to see good numbers of Mississippi Kites (19 total observed by 6 parties) and Painted Buntings (77 total observed by 10 parties). Notable misses this year included: King Rail, Caspian Tern, Great Horned Owl, Hairy Woodpecker, Wood Thrush, Yellow Warbler, Yellow-rumped Warbler, Black-and-white Warbler, Eastern Meadowlark, and House Sparrow.

Jasper

Coordinator: Steve Wagner

313 E. 54th St. Savannah, GA 31405

Participants: Dot Bambach, Steve Calver, Matt Ryan, Steve Wagner,

Steve Willis

No compiler comments.

Table 3. 2012 spring counts in South Carolina

	Aiken	Spart	Cherok	Lexing	Congar	Greenv	Charlest .	Jasper	Total
Black-bellied Whistling-								•	
Duck	5	0	0	0	0	0	0	2	7
Canada Goose	49	437	48	0	0	77	21	0	632
Wood Duck	12	5	1	0	2	24	37	4	85
Mallard	7	91	0	4	0	50	6	11	169
Mottled Duck	0	0	0	0	0	0	96	158	254
Blue-winged Teal	0	3 0	0	0	0	5 0	76	9	93
Northern Shoveler Lesser Scaup	0	1	0	0	0	0	0	5	1 6
Bufflehead	0	0	0	0	0	0	1	0	1
Common Merganser	0	0	0	0	0	0	1	0	1
Red-breasted	· ·	U	U	U	· ·	Ū	'	O	
Merganser	0	0	0	0	0	0	12	5	17
Ruddy Duck	0	0	0	0	0	0	0	2	2
Northern Bobwhite	19	27	5	0	0	2	1	1	55
Wild Turkey	40	12	3	0	0	6	47	1	109
Common Loon	0	1	0	0	0	0	0	0	1
Pied-billed Grebe	0	2	0	0	0	2	3	0	7
Horned Grebe	0	0	0	0	0	0	1	0	1
Wood Stork	1	0	0	0	0	0	58	17	76
Double-crested		_		_	_				
Cormorant	1	6	1	0	0	4	99	17	128
Anhinga	5	0	0	0	0	0	22	41	68
Brown Pelican	0	0	0	0	0	0	129	8	137
American Bittern Least Bittern	0	0	0	0	0	1	0 6	0 5	1 11
Great Blue Heron	7	30	2	2	1	23	41	10	116
Great Egret	50	0	0	0	6	0	221	148	425
Snowy Egret	0	0	0	0	2	0	204	40	246
Little Blue Heron	13	0	ő	ő	1	0	20	12	46
Tricolored Heron	0	0	0	0	0	0	62	7	69
Cattle Egret	53	0	Ō	Ō	Ö	Ō	35	4	92
Green Heron	5	4	0	0	1	2	51	20	83
Black-crowned Night-									
Heron	0	0	0	0	0	0	18	2	20
Yellow-crowned Night-									
Heron	0	0	0	0	0	0	2	0	2
White Ibis	3	0	0	0	10	0	5	107	125
Glossy Ibis	0	0	0	0	0	0	8	8	16
Roseate Spoonbill	0 44	0	0	0	0	0	0	1	1
Black Vulture	32	17 74	10 5	0	1	37	46 115	13 21	135 288
Turkey Vulture Osprey	0	1	6	0	0	3	33	2	200 45
Swallow-tailed Kite	0	0	0	0	0	0	4	1	5
Mississippi Kite	34	0	ő	ő	1	0	19	5	59
Bald Eagle	2	1	0	0	0	0	6	3	12
Northern Harrier	1	0	0	0	0	0	0	1	2
Sharp-shinned Hawk	0	1	0	0	0	1	0	0	2
Cooper's Hawk	0	6	0	0	0	0	3	0	9
Red-shouldered Hawk	9	5	0	3	5	6	18	0	46
Broad-winged Hawk	0	1	0	0	0	2	0	0	3
Red-tailed Hawk	11	19	3	0	1	26	6	2	68
Clapper Rail	0	0	0	0	0	0	40	1	41
King Rail	0	0	0	0	0	0	0	1	1
Sora	0	0	0	0	0	0	2	1	3
Purple Gallinule Common Gallinule	0	0	0	0	0	0	13	5 23	6 36
American Coot	0	6	0	0	0	3	7	23	36 18
Black-bellied Plover	0	0	0	0	0	0	527	3	530
Wilson's Plover	0	0	0	0	0	0	14	9	23
	J		•		0			v	

	Aiken	Spart	Cherok	Lexina	Congar	Greeny	Charlest	Jasper	Total
Semipalmated Plover	1	0	0	0		0	2345	198	2544
Piping Plover	0	0	0	0		0	2	0	2
Killdeer	6	20	19	1	0	12	5	29	92
American									
Oystercatcher	0	0	0	0	0	0	79	0	79
Black-necked Stilt	0	0	0	0		0	57	99	156
American Avocet	0	0	0	0		0	0	44	44
Spotted Sandpiper	8	7	8	0		8	235	4	270
Solitary Sandpiper	7	0	3	0		13 0	0 74	5 17	28 93
Greater Yellowlegs Willet	0	0	0	0	0	0	176	40	216
Lesser Yellowlegs	0	1	1	0	0	0	56	28	86
Whimbrel	0	Ó	Ö	0		0	256	3	259
Marbled Godwit	0	0	0	0		0	2	0	2
Ruddy Turnstone	0	0	0	0	0	0	193	0	193
Red Knot	0	0	0	0	0	0	30	0	30
Sanderling	0	0	0	0	0	0	91	0	91
Semipalmated		_	_	_					
Sandpiper	0	0	0	0	0	0	85	3046	3131
Western Sandpiper	0	0	0	0		0	170	0	0
Least Sandpiper	11	16	0	0	0	0	172	77	276
White-rumped Sandpiper	0	0	0	0	0	0	8	15	23
Dunlin	0	0	0	0	0	0	301	52	353
Stilt Sandpiper	0	0	0	0		0	0	89	89
Short-billed Dowitcher	Ö	Ō	Ō	Ō		0	1265	18	1283
Wilson's Snipe	0	0	0	0	0	1	0	0	1
Bonaparte's Gull	0	1	0	0		0	0	0	1
Laughing Gull	0	0	0	0		0	640	3	643
Ring-billed Gull	0	0	0	0	0	0	31	0	31
Herring Gull	0	0	0	0		0	4	0	4
Least Tern Gull-billed Tern	0	0	0	0	0	0	35 17	444 208	479 225
Caspian Tern	0	0	0	0		0	0	5	5
Black Tern	0	0	0	0		0	4	1	5
Common Tern	0	0	0	0	0	0	9	0	9
Forster's Tern	0	0	0	0	0	0	378	1	379
Royal Tern	0	0	0	0	0	0	319	21	340
Sandwich Tern	0	0	0	0	0	0	259	0	259
Black Skimmer	0	0	0	0		0	280	277	557
Rock Pigeon	6	102	9	0	0	39	11	32	199
Eurasian Collared-	7	4	0	0	0	0	0	0	4.4
Dove	7 120	4 206	0 67	0	0 5	0 199	0 103	0 109	11 818
Mourning Dove Common Ground-Dove	0	200	0	0		199	4	9	13
Yellow-billed Cuckoo	26	7	0	3		3	21	1	77
Barn Owl	0	2	ő	0		0	0	1	3
Eastern Screech-Owl	3	0	2	0		1	5	1	12
Great Horned Owl	5	0	1	0	0	2	0	1	9
Barred Owl	4	5	0	0	7	2	15	1	34
Common Nighthawk	1	10	0	0	0	0	5	15	31
Chuck-will's-widow	8	6	2	0	0	5	14	6	41
Eastern Whip-poor-will	1 28	6	2 24	0	1	6	0	0	16 240
Chimney Swift Ruby-throated	28	72	24	U	9	60	10	37	240
Hummingbird	11	21	0	0	12	12	4	4	64
Belted Kingfisher	1	11	1	0		5		0	22
Red-headed				U	'	J	J		
Woodpecker	31	6	1	0	3	3	14	4	62
Red-bellied									
Woodpecker	67	27	19	10	21	45	63	8	260
Yellow-bellied									
Sapsucker	0	2	0	0		1	0	0	3
Downy Woodpecker	23	19	1	1		27	16	2	96
Hairy Woodpecker	1	1	2	0	0	5	0	0	9

	Aiken	Spart	Cherok	Lexing	Congar	Greenv	Charlest	Jasper	Total
Red-cockaded	2	0	0	0	0	0	2	0	_
Woodpecker Northern Flicker	2	0	0 1	0	0	0	3 4	0	5
	23	6	3	0		16	12	0	18 80
Pileated Woodpecker	23 1	0	3 1						
American Kestrel Merlin	0	0	0	0	0	0	0 1	0	2 1
Peregrine Falcon	0	0	0	0		0	2	0	2
Eastern Wood-Pewee	35	6	3	0		2	11	5	69
Acadian Flycatcher	24	12	4	1	20	11	16	7	95
Willow Flycatcher	0	1	0	0		0	0	0	1
Eastern Phoebe	0	38	6	4		30	0	0	78
Great Crested	U	30	U	7	U	30	U	U	70
Flycatcher	63	17	16	6	13	22	211	11	359
Eastern Kingbird	70	38	9	2		59	51	9	238
Scissor-tailed	70	30	3		U	33	31	9	230
Flycatcher	0	0	0	0	0	2	0	0	2
Loggerhead Shrike	7	0	0	0		0	6	1	14
White-eyed Vireo	105	4	0	13		14	34	7	202
Yellow-throated Vireo	3	2	0	1		3	2	4	17
Blue-headed Vireo	0	1	0	4	1	14		0	20
Red-eyed Vireo	60	37	13	6	29	85	108	9	347
Blue Jay	78	85	20	2		78	51	7	323
American Crow	111	0	83	3		146	72	15	442
Fish Crow	19	154	0	0		15	27	13	235
Common Raven	0	0	0	0		2	0	0	2
Horned Lark	0	2	1	0		0	0	0	3
Purple Martin	9	62	6	0		10	108	0	195
Tree Swallow	2	4	3	0		10	67	116	202
Northern Rough-									
winged Swallow	11	8	0	2	0	27	1	2	51
Bank Swallow	4	0	6	0	0	0	0	0	10
Cliff Swallow	9	940	90	0	2	1	0	0	1042
Barn Swallow	24	122	15	2	11	142	195	50	561
Carolina Chickadee	67	57	16	16	12	64	65	10	307
Tufted Titmouse	104	80	14	12	35	84	82	13	424
Red-breasted Nuthatch	0	2	0	0	0	0	0	0	2
White-breasted									
Nuthatch	10	0	1	0	3	9	0	3	26
Brown-headed									
Nuthatch	17	8	0	0		17	20	8	76
Brown Creeper	0	9	0	0		0	0	0	9
House Wren	0	13	0	0		3	0	0	16
Marsh Wren	0	0	0	0		0	16	1	17
Carolina Wren	72	66	25	10		94	69	35	412
Blue-gray Gnatcatcher	34	22	7	5		73	16	11	181
Ruby-crowned Kinglet	0	0	0	0		3	0	0	3
Eastern Bluebird	40	127	41	2		186	52	9	459
Swainson's Thrush	0	0	0	0		4	0	0	4
Wood Thrush	2	9	3	0		22	0	0	39
American Robin	21	138	55	0	0	167	1	0	382
Gray Catbird	4	17	1	1	0	11	4	13	51
Northern Mockingbird	98	154	45	5	0	120	75	50	547
Brown Thrasher	13	58	12	1	1	38	15	12	150
European Starling	37	107	98	0		99	48	4	393
Cedar Waxwing	23	255	91	0		547	38	2	956
Ovenbird	0	2	0	0		15		0	19
Worm-eating Warbler Louisiana Waterthrush	0	0 5	0 2	0		16	2 0	0	18
Northern Waterthrush	0	0	0	0		7		1	18
Blue-winged Warbler	0	0	0	0		1	0	0	1 1
Black-and-white	U	U	U	U	U	1	U	U	- 1
Warbler	5	0	0	0	0	12	0	0	17
Prothonotary Warbler	24	2		0		0		6	59
Swainson's Warbler	2	0				4		0	
C. anicon o Warbici	_	U	U	0				- 0	10

	Aiken	Spart	Cherok	Lexing	Congar	Greenv	Charlest	Jasper	Total
Orange-crowned		•		•				0	
Warbler	0	0	0	0	0	1	0	0	1
Kentucky Warbler	5	1	1 14	1 4	0	1	21	1	31
Common Yellowthroat	16	13		-	•	36	53	15	152
Hooded Warbler	11	5	0	0	13	25	88	5	147
American Redstart	9	6	0	0	1	5	2	0	23
Cape May Warbler	0	0	0	1	0	0	0	0	1
Northern Parula	135	12	4	7	56	27	105	21	367
Magnolia Warbler	0	0	0	0	0	1	0	0	1
Blackburnian Warbler	0	0	0	0	0	2	0	0	2
Yellow Warbler	0	0	0	0	0	1	0	1	2
Chestnut-sided	0	^	_	•	_	_	0	_	_
Warbler	0	0	0	3	0	3	0	0	6
Blackpoll Warbler	0	0	0	1	0	1	1	0	3
Black-throated Blue	0	0	_	^	_	_		_	40
Warbler	2	3	0	0	3	7	1	0	16
Palm Warbler	0	0	0	2	0	1	0	0	3
Pine Warbler	76	13	6	3	16	38	79	10	241
Yellow-rumped		_							
Warbler	0	0	0	0	0	56	0	1	57
Yellow-throated	_					_		_	
Warbler	8	6	0	0	14	2	36	6	72
Prairie Warbler	16	2	0	0	0	1	10	3	32
Black-throated Green	_	_	_	_				_	
Warbler	0	3	0	0	1	39	0	0	43
Yellow-breasted Chat	49	4	5	1	0	14	3	4	80
Eastern Towhee	68	25	18	1	3	59	52	23	249
Bachman's Sparrow	4	0	0	0	0	0	10	2	16
Chipping Sparrow	9	47	2	1	0	61	1	0	121
Field Sparrow	0	33	22	0	0	23	0	0	78
Savannah Sparrow	2	2	0	0	0	4	1	0	9
Grasshopper Sparrow	0	13	5	0	0	23	0	0	41
Nelson's Sparrow	0	0	0	0	0	0	2	0	2
Seaside Sparrow	0	0	0	0	0	0	1	1	2
Song Sparrow	0	15	0	0	0	30	0	0	45
Swamp Sparrow	0	0	0	0	0	6	0	0	6
White-throated									
Sparrow	0	0	0	0	0	12	0	0	12
White-crowned									
Sparrow	0	0	0	0	0	5	0	0	5
Dark-eyed Junco	0	4	0	0	0	3	0	0	7
Summer Tanager	78	11	3	1	18	3	22	9	145
Scarlet Tanager	0	3	0	0	0	21	0	0	24
Northern Cardinal	213	187	30	19	50	153	260	60	972
Rose-breasted	_	_	_	_	_	_		_	_
Grosbeak	_0	2	0	0	0	5	0	0	7
Blue Grosbeak	55	12	8	1	2	21	29	4	132
Indigo Bunting	149	26	21	5	26	100	18	13	358
Painted Bunting	16	0	0	0	0	0	77	32	125
Bobolink	6	0	0	0	0	147	12	15	180
Red-winged Blackbird	37	35	10	0	0	115	394	939	1530
Eastern Meadowlark	1	31	24	0	0	86	0	0	142
Common Grackle	39	143	76	1	16	125	91	28	519
Boat-tailed Grackle	0	0	0	0	0	0	147	166	313
Brown-headed									
Cowbird	23	62	8	9	2	22	68	21	215
Orchard Oriole	11	5	5	2	1	10	37	26	97
Baltimore Oriole	0	2	0	0	0	5	0	0	7
Purple Finch	0	10	0	0	0	0	0	0	10
House Finch	25	67	6	0	0	47	46	1	192
American Goldfinch	4	27	14	0	0	102	0	0	147
House Sparrow	7	26	3	0	0	43	0	0	79
Total individuals	3089	4838	1225	195	627	4508	12997	7539	35018

	Aiken	Spart	Cherok	Lexing	Congar	Greenv	Charlest	Jasper	Total
Regular Count Hours foot Hours car Hours boat	33 18	40.5 20 4	6.5 3	5	12.25		5.25 20.75	39.2 16.2	
Hours bike Hours other		1	1.5			103		3	
Miles foot Miles car	14 193	35 391	3.25 94	4	11.3		3.5 133	30 172.4	
Miles boat Miles horseback Miles bike		9	4					10	
# Regular parties # Regular observers #Species #Individuals	8 12 109 3036	16 23 115 4347	2 3 72 1184	1 3 47 195			3 5 141 7563	9 19 125 4495	
Feeder Watch Hours Feeder Watch #Feeder Watchers #Feeder Stations #Species #Individuals	2.75 5 9 19 61	35.5 17 12 48 462	5.5 2 2 8 34						
Nocturnal Hours Nocturnal Miles Nocturnal #parties nocturnal #observers nocturnal #Species #Individuals	0.75 4.5 1 1 4 14	4.5 38 9 10 5 29	2 4 1 1 4 7					1.5 2.1 1 7 5	
Time Start Time Stop	5:30 22:15	6:00 22:00	8:00 22:00	7:00 12:00			5:45 20:27	6:30 19:00	

Received 14 Sep 2012